

ADVANCED General Certificate of Education 2023

Centre Number						
	Can	didat	e Nu	mber		
	Can	didat	e Nu	mber		

Biology

Assessment Unit A2 3 assessing Practical Skills in Biology



[ABY31] *ABY31*

THURSDAY 22 JUNE, MORNING

TIME

1 hour 15 minutes.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

You must answer the questions in the spaces provided.

Do not write outside the boxed area on each page or on blank pages.

Complete in black ink only. Do not write with a gel pen.

Answer all seven questions.

INFORMATION FOR CANDIDATES

The total mark for this paper is 60.


Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

You are reminded of the need for good English and clear presentation in your answers.

Use accurate scientific terminology in all answers.

Statistics Sheets are not required for use with this paper.





Revertin

Do Loaning

Loaning

Reaserable

Parting
Powersky
Powersky
Powersky
Rowersky
Rowersky

Romanding

Remarking Learning

20

D Learning

20

20


Do J. Loaning

20 7 Levarritry



1 The population density of a yeast suspension can be estimated using a haemocytometer.

The diagram below represents a type-B square from a sample taken from a yeast suspension. The depth of suspension between the surface of the haemocytometer grid and the overlying coverslip is 0.1 mm.



(a)	some yeast cells lie across grid lines. Explain how this can be taken into account when counting yeast cells.	
		[1]

(b) Using the information provided and the diagram, calculate the number of yeast cells in 1 mm³.

(Show your working.)

(c) Suggest a variable that should be controlled when sampling the yeast suspension.

___[1]

[Turn over

13890.06 **R**

Committed of the commit



2	(a)		e capture–mark–recapture mal populations.	method can be used to es	stimate the size of
		(i)	State the formula used to	estimate population size l	by this method.
					[1]
		(ii)	The use of this method in these assumptions.	volves several assumptior	ns. List three of
			1		
			2		
			3		[3]
		(iii)	The population of the bald investigated using the cap shows the data collected	oture-mark-recapture me	
			Number of bald eagles captured in the first sample	Number of unmarked bald eagles in the second sample	Number of marked bald eagles in the second sample
			10 265	2135	1165
			_	e, estimate the size of this	bald eagle population.
			(Show your working.)		
					[3]

Reversion

Do Loaning

Loaning

Reaserable

Describing

Construction

Promounding

Rowarding 20 1

Research Parking

Rewarding 200

Remarking Junearing

Research To Learning

Rewarding 20

Remarking

The serving

20 7 Learning

20 Learning

20 7 Lecambry

DE Learning

D y Learning
Research

20 7 Learning

Roserting

7 Learning

D y Learning
Reversion

Donasting
Leaving
Research

Parameter Spanish



(b) Alaska also has a mountain goat (*Oreamnos americanus*) population on one of its islands.

Researchers estimated the size of the population on several occasions over two consecutive winters. Their results are shown in the table below.

Year	Mean number of mountain goats	Standard deviation	Standard error
2010–2011	9.0	0.92	0.08
2011–2012	16.3	1.00	0.00

(i) State the most appropriate statistical test which could be used to determine if there is a significant difference in the population over the time period involved.

____[1]

(ii) It is thought that changes in the mountain goat population may be linked to climate change. Suggest a reason why the data shown in the table above can **not** be used to support this theory.

_____[1]

[Turn over


13890.06 **R**

Committed of the commit



- **3** The procedure described below can be used to prepare a leaf scrape for viewing under a light microscope.
 - Place a section of grass leaf on a microscope slide, top surface facing upwards, and add a few drops of water.
 - Holding the end of the leaf with the thumb of one hand, use the other hand to slide a razor blade along the grass leaf. (This will remove cell layers from the top of the leaf.)
 - Repeat several times until the leaf has an almost transparent appearance.
 - Add a drop of water onto the leaf scrape and place a cover slip on top.
 - Examine with a light microscope.

The photomicrograph below shows a leaf scrape produced using this procedure.



Source: Front. Plant Sci., 25 February 2020, https://doi.org/10.3389/fpls.2020.00133

(a) (i) Suggest the identity of structure **X**.

[1]

3

DO J. Loaving

20

G

20

G:

D 7 Learning GC Rowarding

20

Ð

20

20

20

20

20

200

20



R		[Turn over
		[3]
(~)		ow your working.)
(b)	Usir	ng the scale bar on the image, calculate the magnification of the micrograph.
		[1]
	(v)	A flat grass leaf should be used rather than one which is rolled. Suggest a reason for this.
		[1]
	(iv)	Suggest one reason why the procedure may need to be repeated before obtaining a leaf scrape suitable for viewing.
		[1]
	(iii)	Suggest why it is important that water is added to the leaf scrape before a cover slip is placed on top.
		[1]
	(ii)	Identify the leaf tissue layer that remains on the slide after using this procedure.



4	Plants have historically been used to treat bacterial infections, since many species produce antimicrobial substances. For example, garlic (<i>Allium sativum</i>) produces the antimicrobial substance allicin.						
		he bacterium <i>Escherichia coli</i> (<i>E. coli</i>) was with an allicin extract which had a concentration					
	(a) Determine the number of 1 in 10 concentration of 10AU from a sta	serial dilutions required to obtain a arting concentration of 10000AU.					
		[1]					
	(b) State two aseptic techniques that microorganisms such as <i>E. coli</i> to						
	1						
	2	[2]					

Reversion

Do Loaning

Loaning

Reaserable

Dearthy

Jeanning

Roserting

John Roserting

Roserting

Research Parking

Rewarding 200

Remarking Junearing

Flowarding
Flowarding
The Rowarding
Flowarding
Flowarding

Rewarding 20

Research

Parties

Parties

Research

Research

Research

Research

Research

Research

Research

Paraming

Research

Paraming

D y Learning
Research

20 7 Learning

20

DE LEGATION

GC.

Donas Control of Paras Control of Paras

20 7 Levarritry

Rowarding 1 Learning



	[6]
concentrations of allicin extract against <i>E. coli</i> .	



5 The micrograph of contracted voluntary (skeletal) muscle shown below was taken using a transmission electron microscope (TEM). (The image has been artificially coloured.) Reversion

Downing Co

G.

20 Learning

200 g Learning
Research

20

20 7 Learning

DE LEARNING

DE Leaving

20

20

DE LEGATION

GG:


Downing Co

Rowarding

| Learning

| Rowarding

| Learning



								_	
(a) (i)	ldentify	∕ the	structures	labelled	X	and	Y.

X	
Υ	 [2

(ii)	Using the micrograph,	identify one	piece o	of evidence	which	shows	that t	he
	muscle is contracted.							

		[1]



	(iii)	This type of muscle contains a large number of mitochondria. Suggest why only a small number are visible in this micrograph.			
		[1]			
(b)	Describe two differences that would be seen in a micrograph of this tissue taken using a light microscope rather than a TEM.				
	1				
	2				
		[2]			

[Turn over


13890.06 **R**

Totality

Totali



6 (a) The diagram below represents the side view of a gel electrophoresis tank. Gel electrophoresis can be used to separate fragments of DNA.



Revertin

Donardo

G.

20

D

20

Dearring

20

20

20


(i) Identify X and Y in the diagram.

X	
v	ĮO.
Y	2

(ii) Apart from maintaining a constant pH, state **one** function of the buffer in the gel electrophoresis tank.

[1]





Reserving I

Reser



(b) In an investigation, three batches of identical sections of human DNA were incubated, each with a different restriction endonuclease enzyme. Following incubation, the three batches of DNA were added to the wells of three lanes (A, B and C) in a gel electrophoresis tank. The diagram below represents the gel following the migration of DNA fragments.

Rewards 20 1 Loaning

G:

20

20

20

Dearring

20


20

20

Rowardin

20 7 Learning

[2]



Source: Principal Examiner

(i)	Describe the movement of the two bands (1 and 2) in lane C and suggest an explanation for their different positions in the gel, with reference to fragment length.



(ii)	Describe the results for the number and distribution of bands in lanes A , B and C . Using your understanding of restriction enzymes, suggest explanations to account for your answer.
(iii) Suggest how the investigators might be able to determine the size of the DNA in each band.
	[1]
13890.06 R	[Turn ov



Redox indicators can be used to investigate the biochemistry of respiration, particularly the activity of dehydrogenase enzymes. Methylene blue can be used to compare the rate of dehydrogenase activity when yeast cells respire different sugars. These enzymes catalyse the removal of hydrogen from respiratory substrates.	S.		
These enzymes catalyse the removal of hydrogen from respiratory substrates.			
(a) (i) Outline a procedure which could be used to compare dehydrogenase activity in yeast respiring glucose and yeast respiring sucrose. You should make reference to an appropriate control experiment.			
	_		
	_		
	_		
	_		
	_		
	_		
	_		
	_		
	_		
	_		
	_ 5]		
	~]		
3890.06 R			

Reversion

Do Loaning

Loaning

Reaserable

Describing

Construction

Promounding

Rowarding 20 1

Powerthy

Theorythy

Theorythy

Theorythy

Theorythy

Theorythy

Roserding January

Remarking Junearing

Rowarding

Research 7 Learning

Rewarding 20

Research

Porting

Control

Roserch

Porting

Control

Roserch

Ro

Reverting J. Learning Researcing

20 7 Learning

20

Rewarding J. Learning Rewarding

Revending 2 Learning Parameters In Property Inc.

20 7 Levarring

Riversing

20
3 Learning



(ii)	Suggest and explain how using peas rather than yeast would affect the validity of this investigation.
	[2

In a separate investigation, the effect of temperature on the rate of dehydrogenase activity was investigated using a redox indicator. The results are shown below.

Temperature/ °C	Time taken to change colour/s	Rate of colour change/s ⁻¹	Rate of colour change in standard form/s ⁻¹
20	170	0.0059	5.9×10 ⁻³
30	90	0.0111	11.1×10 ⁻³
40	130		
50	150	0.0067	6.7×10 ⁻³
60	210	0.0048	4.8×10 ⁻³

(b) Complete the table by calculating the rate of colour change at 40°C and converting this to standard form.

(Show your working.)

[3]

[Turn over

13890.06 **R**


To Ready |



(c) (i) On the grid below:

- add the missing data point for 40°C
- join the points using an appropriate graphical technique.







(ii) Using the information provided, describe the effect of temperature on dehydrogenase activity.	on[2]
dehydrogenase activity.	
	[2]
	[2]
	[2]
	[2]
	[2]
	[2]
	[2]
	[2]
	[2]
	[2]
THIS IS THE END OF THE QUESTION PAPER	



Sources:			
Q3© Yuan J, Wang X, Zhou H, Li Y, Zhang J, Yu S, Wang M, Hao M, Zhao Q, Liu of Sample Preparation Techniques for Inspection of Leaf Epidermises Using Light Microscopy. Front. Plant Sci. 11:133. doi: 10.3389/fpls.2020.00133	L, Li M and Li J (2020) oscopy and Scanning	Comparison Electronic	
Q5© Getty Images			
DO NOT WRITE ON THIS PAGE			
		For Exa	
		use of Question Number	
		1	
		2	
		3	
		4	
		5	
		6	
		7	
		Total Marks	
	Examiner Number		
ermission to reproduce all copyright material has been applied for. some cases, efforts to contact copyright holders may have been unsuccessful and CCEA ill be happy to rectify any omissions of acknowledgement in future if notified. 3890.06 R			

