Please check the examination details be	low before ente	tering your candidate information			
Candidate surname		Other names			
Centre Number Candidate Number					
Pearson Edexcel Level 1/Level 2 GCSE (9-1)					
Friday 16 June 2023	3				
Morning (Time: 1 hour 10 minutes)	Paper reference	. 1SC0/2PF			
Combined Science					
PAPER 6					
		Foundation Tier			
You must have:		Total Marks			
Calculator, ruler, Equation Booklet (er	nclosed)				

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 60.
- The marks for each question are shown in brackets
 use this as a quide as to how much time to spend on each question.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.
- A list of equations is included at the end of this exam paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over







Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 (a) Figure 1 shows the parts in an electrical circuit.





Figure 1

Draw the circuit diagram of this electrical circuit in the space provided.

The battery symbol and some of the connecting wires have been drawn for you.

(4)

circuit diagram



(b) Figure 2 shows the current flowing into and out of point P in part of a circuit.




Figure 2

Which of these is the value of current *I*?

(1)

- A 2A
- B 5A

- (c) (i) There is a current of 0.46 A in a lamp.

Calculate the total charge that flows through the lamp in 30 seconds.

Use the equation

charge = current \times time in seconds

(2)

charge =

(ii) The voltage across the lamp is 6.0 V.

The current in the lamp is 0.46 A.

Calculate the energy transferred to the lamp in one minute.

Use the equation

energy transferred = current \times voltage \times time in seconds

(2)

energy transferred =

(Total for Question 1 = 9 marks)

- 2 This question is about magnets and magnetism.
 - (a) Figure 3 shows a magnet that has picked up three paper clips.




Figure 3

(i) The poles of the lowest paper clip are labelled.

Label the poles of the other two paper clips in Figure 3.

(2)

(ii) Complete the sentence, by choosing a word from the box, to describe the type of magnetism that these paper clips have.

(1)

alternated earthed induced transformed

These paper clips have magnetism.

(iii) Suggest a material that these paper clips in Figure 3 could be made from.

(1)



(iv) When the paper clips were pulled off the magnet they fell separately to the table.

Describe how you could test whether any of the paper clips had kept any magnetism.

(2)

(b) Figure 4 shows the magnetic field around a wire carrying a current.




Figure 4

(i) State how you can tell from Figure 4 that the strength of the field is greater at P than at Q.

(1)

(ii) The magnetic field strength is measured at P for different values of current in the wire.

The results of this investigation are shown in Figure 5.




Figure 5

Describe the relationship between magnetic field strength and current.

(2)

(Total for Question 2 = 9 marks)

BLANK PAGE

3 Figure 6 shows part of the UK National Grid system for the supply of electricity to homes.




Figure 6

(a) Electricity supplied to homes has a frequency of

(1)

- B 20 Hz

- (b) Explain why the National Grid uses high voltages with small currents to transfer electricity from power stations.

(2)



(c) Figure 7 shows details of a transformer.




Figure 7

(i) Calculate the power in the primary coil.

Use the equation

$$P = V \times I$$

(2)

power in the primary coil =W

(ii) Calculate the following for the transformer in Figure 7.

number of turns in secondary coil number of turns in primary coil

(2)



(iii) For the transformer in Figure 7, evaluate, in its simplest form, the ratio

secondary voltage: primary voltage

(2)

(Total for Question 3 = 9 marks)

4 This question is about energy transfers.

Figure 8 shows the apparatus used for investigating the transfer between gravitational potential energy and kinetic energy.

A metal ball is attached to a thread.

The ball is released from a starting position and swings on the thread.

The ball cuts a light beam at the bottom of its swing.




Figure 8

When the ball cuts the light beam, the speed of the ball is recorded by the data logger.

The ball was released 3 times from the same height and the speed measured each time.

The measurements of speed are given in Figure 9.

speed in m/s 1.31 1.27 1.16

Figure 9

(a) Calculate the mean speed.

(2)

mean speed = m/s

(b) Suggest **one** reason why the measurements of speed were repeated.

(1)

(c) The mass of the ball is 0.052 kg.

The ball falls through a vertical height (Δh) of 5.0 cm as it swings.

The gravitational field strength, g, is 10 N/kg.

Calculate the change in the gravitational potential energy of the ball.

Use the equation

$$\Delta \mathsf{GPE} = \mathsf{m} \times \mathsf{g} \times \Delta \mathsf{h}$$

(3)

change in gravitational potential energy =



(d) Figure 10 shows an end-on view of the ball's swing from its starting position.




Figure 10

(i) To measure the change in vertical height, Δh , through which the ball moves, a ruler could be used.

Draw a ruler on Figure 10, placed in a position to measure the change in vertical height Δh .

(1)

(ii) Figure 11 shows a set square.




Figure 11

Describe how the measurement of the change in vertical height, Δh , could be improved using the set square.

You may add to Figure 10 or Figure 11 to help your description.

(2)

(Total for Question 4 = 9 marks)

BLANK PAGE

5 (a) The voltage (potential difference) across a length of wire is 1.5 V.

A charge of 0.042 C flows through the wire.

Calculate the energy transferred.

Use the equation


$$E = Q \times V$$

(2)

E =



(b) Figure 12 shows some of the apparatus that students use to determine the resistance of a piece of iron wire.






Figure 12

Add connecting wires, a voltmeter and an ammeter to complete the circuit in Figure 12 so that the students can determine the resistance of the piece of iron wire.

(2)

- (c) The students extend the investigation to determine how the resistance of the iron wire changes with its length.
 - (i) Give the name of **one** additional piece of apparatus the students would need.

(1)

(ii) Figure 13 shows a graph of the results.




Figure 13

Draw a straight line of best fit on Figure 13.

(1)

(iii) Use Figure 13 to estimate the resistance of a 100 cm length of the iron wire.

(1)

 $resistance = \underline{\hspace{1cm}} \Omega$

(iv) The variable resistor shown in Figure 12 is used to prevent the iron wire from becoming too hot.

Explain how the variable resistor is used to prevent the iron wire from becoming too hot.

(2)



(d) The potential difference (voltage) across another piece of wire is 1.56 V.

The current in the wire is 0.45 A.

Calculate the resistance of this piece of wire.

Use the equation

$$V = I \times R$$

(2)

 $resistance = \underline{\hspace{1cm}} \Omega$

(Total for Question 5 = 11 marks)

6	(a)	Which of these m	neans changing	state from	solid directly	to gas?
U	(u)	William Of the SC II	icaris criarigirig	state mom	John ancerry	to qus:

(1)

- A condensing
- B freezing
- **D** sublimating
- (b) An object has a mass of 7.22×10^{-2} kg and a volume of 2.69×10^{-5} m³.

Calculate the density, ρ , of the object.

Use the equation

$$\rho = \frac{\mathsf{m}}{\mathsf{V}}$$

(3)

State the unit.

(c) Aluminium has a melting point of 660 °C.

The absolute zero of temperature is -273 °C.

(i) Calculate the melting point of aluminium in kelvin.

(1)

melting point of aluminium =K

(ii)	ii) Describe the motion of particles in liquid aluminium (above 660 °C).				
	(2	2)			

*(d) The table shows some properties of two materials used as thermal insulation.

The higher the R-value, the better the thermal insulating properties of the material.

material	R-value	fire resistance
fibreglass, made from sand	R-3.3	non-flammable
polystyrene, made from petroleum oil	R-4.0	melts at 270 °C and spreads fire very quickly

Assess which of these materials may be the more suitable to use as thermal insulation in a building.

Your answer should compare the properties of fibreglass and polystyrene given in the table.

(6)

(Total for Question 6 = 13 marks)

TOTAL FOR PAPER = 60 MARKS



Equations

(final velocity)² – (initial velocity)² = $2 \times acceleration \times distance$

$$v^2 - u^2 = 2 \times a \times x$$

energy transferred = current \times potential difference \times time

$$E = I \times V \times t$$

potential difference across primary coil \times current in primary coil = potential difference across secondary coil \times current in secondary coil

$$V_{p} \times I_{p} = V_{s} \times I_{s}$$

change in thermal energy = mass \times specific heat capacity \times change in temperature

$$\Delta Q = m \times c \times \Delta \theta$$

thermal energy for a change of state = $mass \times specific$ latent heat

$$Q = m \times L$$

to calculate pressure or volume for gases of fixed mass at constant temperature

$$P_1 V_1 = P_2 V_2$$

energy transferred in stretching = $0.5 \times \text{spring constant} \times (\text{extension})^2$

$$E = \frac{1}{2} \times k \times x^2$$