

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

Pearson Edexcel
Level 1/Level 2 GCSE (9–1)

--	--	--	--	--

--	--	--	--	--

Thursday 16 May 2019

Morning (Time: 1 hour 10 minutes)

Paper Reference **1SC0/1CF**

Combined Science

Paper 2: Chemistry 1

Foundation Tier

You must have:
Calculator, ruler

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must **show all your working out** with **your answer clearly identified** at the **end of your solution**.

Information

- The total mark for this paper is 60
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*
- In questions marked with an **asterisk (*)**, marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.
- There is a periodic table on the back cover of the paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P60244A

©2019 Pearson Education Ltd.

1/1/1




Pearson

Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box .
If you change your mind about an answer, put a line through the box and then mark your new answer with a cross .

1 The three states of matter are solid, liquid and gas.

(a) What is the name of the change of state when a liquid changes into a solid? (1)

- A condensation
- B evaporation
- C freezing
- D melting

(b) A gas was left to cool to form a liquid.

Figure 1 shows how the temperature of the substance changed with time.




Figure 1

From **A** to **B** the substance is a gas.

From **C** to **D** the substance is a liquid.

(i) State the time when the gas first started to form a liquid. (1)

..... minutes

(ii) Calculate the number of minutes it took from the gas first starting to form a liquid until the substance was completely liquid. (1)

..... minutes

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) Figure 2 shows the melting points and boiling points of four substances, **W**, **X**, **Y** and **Z**.

substance	melting point in °C	boiling point in °C
W	-220	-188
X	-101	-34
Y	-7	59
Z	114	184

Figure 2

Using the information in Figure 2

(i) give the letter of the substance that is a solid at 20°C (1)

.....

(ii) give the letter of a substance that is a liquid at 50°C (1)

.....



- (d) The diagrams below show particles in five different structures.
The different circles show different particles.

Draw one straight line from each substance to its structure.






(2)

substance

**particles in
structures**

solid zinc metal, Zn(s)

hydrogen gas, H₂(g)



(Total for Question 1 = 7 marks)



2 Mixtures of substances can be separated using different techniques.

(a) Which of the following is a mixture of substances?

(1)

- A air
- B carbon dioxide
- C gold
- D titanium

(b) Figure 3 shows the apparatus that a student set up to obtain pure water from ink.

There are three mistakes in the way the apparatus has been set up.




Figure 3

(i) One mistake is that the bulb of the thermometer is too low.

The bulb of the thermometer should be level with the side arm.

Give a reason why the bulb of the thermometer should be level with the side arm.

(1)

.....

.....

.....

(ii) State **one** other mistake in Figure 3.

(1)

.....

.....



- (c) Paper chromatography is used to separate the substances in five different food colourings, **P**, **Q**, **R**, **S** and **T**.

Figure 4 shows the chromatogram at the end of the experiment.




Figure 4

- (i) The steps needed to carry out the chromatography experiment are listed below. They are not in the correct order.

- 1 leave the solvent to rise up the paper
- 2 put solvent in the beaker
- 3 draw a start line on the piece of paper
- 4 place the paper in the beaker
- 5 remove the paper when the solvent is near the top
- 6 put small spots of the food colourings on the start line

List the steps in the correct order.

The first two steps have been done for you.

(2)

2	3				
---	---	--	--	--	--

(ii) Explain, using Figure 4, which food colouring contains the greatest number of coloured substances.

(2)

.....

.....

.....

.....

(iii) During chromatography of the food colourings, the solvent front moved 8.00 cm and the food colouring **R** moved 2.30 cm.

Calculate the R_f value for food colouring **R**.
Give your answer to two significant figures.

(2)

.....

.....

.....

.....

R_f value =

(Total for Question 2 = 9 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3 (a) The reactivity of copper, magnesium and zinc was investigated. Each metal was placed separately in dilute hydrochloric acid. The amount of effervescence was observed.

(i) The same mass of metal was used in each experiment. Which piece of apparatus should be used to find the mass of metal used? (1)

- A a balance
- B a pipette
- C a stopwatch
- D a thermometer

(ii) State **two** variables, apart from the mass of the metals, that should be controlled in this investigation. (2)

1

2

(iii) Magnesium produces the most vigorous effervescence. Copper does not produce any effervescence.

Give the reason why copper does not produce any effervescence. (1)

(iv) The magnesium reacts with dilute hydrochloric acid to form magnesium chloride solution and hydrogen gas.

The equation for the reaction is



Fill in the missing state symbols in the spaces provided. (2)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Potassium carbonate reacts with dilute sulfuric acid to form potassium sulfate.

(i) Potassium sulfate contains potassium ions, K^+ , and sulfate ions, SO_4^{2-} .

Write the formula of potassium sulfate.

(1)

(ii) Equal volumes of a solution of potassium carbonate were reacted separately with an excess of dilute sulfuric acid solution.

Pure dry samples of potassium sulfate were obtained from the resulting solutions.

The experiment was repeated three times using the same conditions.

The masses of potassium sulfate obtained were

experiment 1 = 5.22 g

experiment 2 = 5.24 g

experiment 3 = 5.21 g

Calculate the mean mass of potassium sulfate obtained, giving your answer to two decimal places.

(2)

.....

.....

.....

.....

mean mass of potassium sulfate = g

(Total for Question 3 = 9 marks)



4 Metals are extracted from substances naturally occurring in the Earth's crust.

(a) Which of these metals is usually found uncombined in the Earth's crust?

(1)

- A calcium
- B gold
- C iron
- D magnesium

(b) Zinc can be extracted by heating zinc oxide with carbon.

The products are zinc and carbon dioxide.

(i) Write the word equation for this reaction.

(2)

(ii) In this reaction zinc oxide loses oxygen.

State the type of reaction taking place when an oxide loses oxygen.

(1)

(c) Aluminium is extracted from aluminium oxide by electrolysis.

Aluminium oxide is made up of ions.

(i) The formula of aluminium oxide is Al_2O_3 .

Give the number of ions in the formula Al_2O_3 .

(1)

(ii) Complete the balanced equation for the overall reaction by putting numbers in the spaces.

(2)



(d) (i) The environmental impact of a product is assessed in a life-cycle assessment.

The stages in this assessment are given below.
They are not in the correct order.

- A disposal of the product
- B manufacturing the product
- C obtaining and processing the raw materials
- D using the product

List the stages of the life-cycle assessment, using letters **A, B, C, D**, in the correct order from start to finish.

(2)

--	--	--	--

(ii) Aluminium can be obtained by recycling aluminium waste.

Give **two** advantages of obtaining aluminium by recycling aluminium waste rather than mining the raw material and extracting aluminium from that raw material.

(2)

1

.....

2

.....

(Total for Question 4 = 11 marks)



- 5 In Figure 5, the letters **A**, **E**, **G**, **J**, **X** and **Z** show the positions of six elements in the periodic table.

These letters are not the symbols of the atoms of these elements.

1	2											3	4	5	6	7	0	
A												E				G		
J																		X
							Z											

Figure 5

- (a) Using the letters **A**, **E**, **G**, **J**, **X** and **Z**

(i) give the letters of the **two** elements that are non-metals

(1)

(ii) give the letters of **two** elements in period 2

(1)

(iii) give the letter of an element that normally forms an ion with a charge of +1.

(1)

- (b) Element **E** has an atomic number of 5.

In a sample of **E** there are two isotopes. One isotope has a mass number of 10 and the other isotope has a mass number of 11.

(i) Explain, in terms of subatomic particles, what is meant by the term **isotopes**.

(2)



(ii) All atoms of element **E** in this sample contain

(1)

- A** 5 protons
- B** 5 neutrons
- C** 6 protons
- D** 6 neutrons

(c) Element **X** has an atomic number of 18.

State the electronic configuration of an atom of element **X**.

(1)

(d) In an experiment, 3.5 g of element **A** reacted with 4.0 g of element **G** to form a compound.

Calculate the empirical formula of this compound.

(relative atomic masses: **A** = 7, **G** = 16)

You must show your working.

(3)

empirical formula of this compound =

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




(e) An oxygen atom has six electrons in its outer shell.

A hydrogen atom has one electron in its outer shell.

Complete the dot and cross diagram of a molecule of water, H_2O .

Show outer shell electrons only.

(2)



(Total for Question 5 = 12 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



- 6 (a) Water, acidified with sulfuric acid, is decomposed by electrolysis.
The water is decomposed to produce hydrogen and oxygen.

- (i) A sample of hydrogen is mixed with air and ignited.

State what would happen.

(1)

- (ii) Throughout the experiment the volume of hydrogen and the volume of oxygen are measured at two-minute intervals.

The results are shown in Figure 6.

time in minutes	volume of hydrogen in cm ³	volume of oxygen in cm ³
0	0	0
2	4	2
4	8	4
6	12	6
8	16	8

Figure 6

Describe, using the data in Figure 6, what the results show about the volumes of hydrogen and of oxygen produced in this experiment.

(2)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Molten lead bromide is electrolysed.

The products of this electrolysis are

(1)

- A hydrogen and bromine
- B hydrogen and oxygen
- C lead and bromine
- D lead and oxygen

(c) Calcium nitrate and calcium carbonate are both ionic compounds.

Calcium nitrate mixed with water behaves as an electrolyte.

Calcium carbonate mixed with water does not behave as an electrolyte.

Explain, in terms of solubility and movement of ions, this difference in behaviour.

(2)

.....

.....

.....

.....



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 6 = 12 marks)

TOTAL FOR PAPER = 60 MARKS



P 6 0 2 4 4 A 0 1 9 2 0

The periodic table of the elements

	1	2	3	4	5	6	7	0									
	7 Li lithium 3	9 Be beryllium 4	<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> 1 H hydrogen 1 </div>					19 F fluorine 9	4 He helium 2								
	23 Na sodium 11	24 Mg magnesium 12	<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> Key relative atomic mass atomic symbol <small>name</small> atomic (proton) number </div>					35.5 Cl chlorine 17	20 Ne neon 10								
	39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	63.5 Cu copper 29	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36
	85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	127 I iodine 53	131 Xe xenon 54
	133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[210] At astatine 85	[222] Rn radon 86

* The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

