



# Mark Scheme (Results)

November 2021

Pearson Edexcel GCSE  
In Physics (1PH0) Paper 2H

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

November 2021

Publications Code 1PH0\_2H\_2111\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2021

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

| Assessment Objective |           | Command Word  |   |
|----------------------|-----------|---|---|
| Strand               | Element   | Describe  | Explain   |
| AO1*                 |           | An answer that combines the marking points to provide a logical description   | An explanation that links identification of a point with reasoning/justification(s) as required   |
| AO2                  |           | An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding | An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding) |
| AO3                  | 1a and 1b | An answer that combines points of interpretation/evaluation to provide a logical description                                    |   |
| AO3                  | 2a and 2b |   | An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning                            |
| AO3                  | 3a        | An answer that combines the marking points to provide a logical description of the plan/method/experiment                       |   |
| AO3                  | 3b        |   | An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning             |

\*there will be situations where an AO1 question will include elements of recall of knowledge directly from the specification (up to a maximum of 15%). These will be identified by an asterisk in the mark scheme.

Paper 2H

| Question number | Answer           | Additional guidance   | Mark       |
|-----------------|------------------|-----------------------|------------|
| 1 (a) (i)       | use friction (1) | rub (the plastic rod) | (1)<br>AO1 |

| Question number | Answer   | Additional guidance | Mark       |
|-----------------|--|---------------------|------------|
| 1 (a) (ii)      | <p>C</p> <p>A and B are incorrect because the cap would become charged<br/>D is incorrect because the cap would have an opposite charge to that on the rod</p> |                     | (1)<br>AO1 |

| Question number | Answer   | Additional guidance  | Mark       |
|-----------------|--|--|------------|
| 1 (b)           | <p>An explanation linking:</p> <p>electrons move_(1)</p> <p>with <b>one</b> from:</p> <p>(leaf and/or rod) have been discharged (1)</p> <p>(gold leaf) is no longer repelled (1)</p> | <p>negative charges move<br/>reject positive electrons for this mark</p> <p>to the earth</p> | (2)<br>AO1 |

| Question number | Answer  | Additional guidance   | Mark                             |
|-----------------|---|---|----------------------------------|
| 1 (c) (i)       | <p>(size of) charge on Q is greater than (size of charge) on P (1)</p> <p>P has (overall) negative charge and Q has (overall) positive charge (1)</p> | <p>in any order</p> <p>Q has more charge / stronger field than P</p> <p>accept abbreviations such as + 've, - 've</p> <p>charge on P is opposite to charge on Q</p> | <p><b>(2)</b><br/><b>AO3</b></p> |

| Question number | Answer   | Additional guidance | Mark                             |
|-----------------|--|---------------------|----------------------------------|
| 1 (c) (ii)      | <p>(force of) attraction on (object) P from (object) Q (1)</p> |                     | <p><b>(1)</b><br/><b>AO1</b></p> |

**Total 7 marks**

| Question number        | Answer  | Additional guidance   | Mark       |
|------------------------|---|---|------------|
| 8c(i) (F)<br>2(ai) (H) | A description including<br><br>as the potential difference (voltage) increases so does the current (1)<br><br>idea of gradient of graph decreasing as V increases (1) | positive correlation<br><br>at a decreasing rate<br>non-linear<br>not directly proportional | (2)<br>AO3 |

| Question number             | Answer  | Additional guidance | Mark         |               |         |        |    |         |          |       |                                     |            |
|-----------------------------|---|---------------------|--------------|---------------|---------|--------|----|---------|----------|-------|-------------------------------------|------------|
| 8(c) (ii) (F)<br>2(aii) (H) | Award one mark for each row of the table<br><table border="1" style="margin-left: 20px;"> <thead> <tr> <th></th> <th>voltage in V</th> <th>current in mA</th> </tr> </thead> <tbody> <tr> <td>point P</td> <td>1(.00)</td> <td>20</td> </tr> <tr> <td>point Q</td> <td>3.4 ±0.1</td> <td>43 ±1</td> </tr> </tbody> </table> |                     | voltage in V | current in mA | point P | 1(.00) | 20 | point Q | 3.4 ±0.1 | 43 ±1 | ignore any units added in the boxes | (2)<br>AO2 |
|                             | voltage in V  | current in mA       |              |               |         |        |    |         |          |       |                                     |            |
| point P                     | 1(.00)  | 20                  |              |               |         |        |    |         |          |       |                                     |            |
| point Q                     | 3.4 ±0.1  | 43 ±1               |              |               |         |        |    |         |          |       |                                     |            |

| Question number               | Answer  | Additional guidance   | Mark       |
|-------------------------------|---|---|------------|
| 8(c) (iii) (F)<br>2(aiii) (H) | substitution (1)<br>$(R=) \frac{4.5}{51(\times 10^{-3})}$<br><br>evaluation (1)<br>88.(2) (Ω) | 0.088(2) or 8.8(2)<br>or 0.88(2) or 0.09<br>seen scores 1 mark<br><br>0.088(2) kΩ<br>or 0.09 kΩ scores 2 marks<br><br>award full marks for correct answer without working | (2)<br>AO2 |

| Question number                                   | Answer  | Additional guidance          | Mark                                |
|---|---|------------------------------|-------------------------------------|
| <p><b>8(c)(iv)(F)</b></p> <p><b>2(aiv)(H)</b></p> | <p>an explanation linking any three of:</p> <p>identification of resistance increasing (1)</p> <p>heating (of the filament) (1)</p> <p>because of more collisions (1)</p> <p>of electrons (with ions / atoms / other electrons) (1)</p> | <p>temperature increases</p> | <p><b>(3)</b></p> <p><b>AO1</b></p> |

**Total 9 marks**



| Question number               | Answer   | Additional guidance  | Mark                  |
|-------------------------------|--|--|-----------------------|
| <p>9(a)(F)</p> <p>3(a)(H)</p> | <p>descriptions to include any <b>two</b> of</p> <p>particles / atoms in solid close(r) together (1)</p> <p>particles / atoms in solid (vibrate) in fixed positions but particles in liquid move (freely) (1)</p> <p>particles in a solid in regular arrangement but particles in liquid are randomly arranged (1)</p> <p>particles in a liquid have more (kinetic) energy (than in a solid) (1)</p> | <p>reverse argument</p> <p>difference asked for so <b>must compare</b> for subsequent marking points</p> <p>allow answers in terms of forces between particles</p> | <p>(2)</p> <p>AO1</p> |

| Question number    | Answer  | Additional guidance   | Mark       |
|--------------------|---|---|------------|
| 9(b)(F)<br>3(b)(H) | <p>volume substitution (1)<br/> <math>1.5 \times 1.0 \times 0.2(0) (= 0.3)</math></p> <p>substitution in equation (1)<br/> mass = <math>2100 \times (0.3(0))</math></p> <p>evaluation (1)<br/> = 630 (kg)</p> | <p>ecf from<br/> calculated value of<br/> volume for this<br/> mark only</p> <p>award 2 marks for<br/> 6.3 x any other<br/> power of 10</p> <p>5670 gains 1<br/> mark<br/> from use of<br/> <math>1.5+1.0+0.2=2.7</math></p> <p>award full marks<br/> for correct answer<br/> without working</p> | (3)<br>AO2 |


| Question number    | Answer  | Additional guidance                              | Mark       |
|--------------------|---|--|------------|
| 9(c)(F)<br>3(C)(H) | <p>statements to include any <b>two</b> from</p> <p>use cladding / (extra) insulation (1)</p> <p>use double thicknesses of the concrete (1)</p> <p>use silver / reflective / white (paint) (1)</p> <p>plant trees around (wind break) (1)</p> <p>use double glazed windows (1)</p> <p>(properly) close window(s)/door</p> | <p>create cavity</p> <p>draft<br/> exclusion</p> | (2)<br>AO1 |

| Question number | Answer  | Additional guidance                | Mark       |
|-----------------|---------|------------------------------------|------------|
| 3 (d)           | 269 (K) | allow use of 273.14?<br>269.14 (K) | (1)<br>AO2 |

**Total 8 marks**

| Question number        | Answer   | Additional guidance   | Mark       |
|------------------------|--|---|------------|
| 4 (H)<br>10(F)<br>(ai) | recall (1)<br>$P = \frac{F}{A}$<br><br>substitution (1)<br>$(p) = \frac{2400}{0.8}$<br><br>evaluation<br>$(P) = 3000 \text{ (Pa)}$ (1) | may be implied by a correct substitution<br><br><br>award full marks for the correct answer without working | (3)<br>AO2 |

| Question number         | Answer   | Additional guidance   | Mark       |
|-------------------------|--|---|------------|
| 4 (H)<br>10(F)<br>(aii) | an explanation linking<br><br>greater pressure (on bottom of tank) (1)<br><br>with<br><br>greater force <b>due to water</b> (above bottom of tank) (1) | <br><br><br><br><br>more weight of water<br>more depth/height of water<br><br>ignore simply 'more water' or 'greater amount of water' | (2)<br>AO1 |


| Question number                | Answer  | Additional guidance | Mark       |
|--------------------------------|---|---------------------|------------|
| 10 aiii (F)<br><br>4(aiii) (H) |  <p>an arrow perpendicular to the sloping side <b>and</b> pointing towards X</p> | judge by eye        | (1)<br>AO1 |

| Question number                     | Answer  | Additional guidance   | Mark                     |
|-------------------------------------|---|---|--------------------------|
| <b>10 bi (F)</b><br><b>4 bi (H)</b> | data points correctly identified (1)<br>50 $\pm$ 2<br>80 $\pm$ 2<br><br>evaluation (1)<br>(-)30 $\pm$ 4 kPa | award 1 mark if 80 and 50 seen<br>ignore the lack of minus sign<br><br>allow ecf from incorrect reading of either pressure at 2000m or pressure at 6000m for one mark | <b>(2)</b><br><b>AO3</b> |

| Question number                       | Answer  | Additional guidance   | Mark                     |
|---------------------------------------|---|---|--------------------------|
| <b>10 bii (F)</b><br><b>4 bii (H)</b> | any <b>one</b> suggestion of<br><br>greater density of atmosphere (1)<br><br>greater depth of atmosphere (above the aeroplane) (1)<br><br>greater temperature (of the atmosphere) (1) | accept reverse argument<br><br>more particles (per cubic metre)<br>the air gets thicker<br><br>greater weight of the atmosphere | <b>(1)</b><br><b>AO1</b> |

| Question number                                 | Answer  | Additional guidance   | Mark                     |
|---|---|---|--------------------------|
| <b>10 (c)</b><br><b>(F)</b><br><b>4 (c) (H)</b> | an explanation linking<br><br>the area (of contact between person and bed) is smaller when standing up (1)<br><br>same weight (over smaller area) so the pressure is greater when standing up (1) | accept reverse arguments<br><br>weight is more concentrated / not distributed /not spread across bed (when standing up)<br><br>uses $p = F/A$ argument (as a consequence of the smaller area, pressure is bigger) | <b>(2)</b><br><b>AO2</b> |

**Total for question 4(h), 10(F) = 11 marks**

| Question number | Answer   | Additional guidance  | Mark       |
|-----------------|--|--|------------|
| 5 (a) (i)       | <p>example:</p>  <p>rectangles in (approximately) correct position (1)</p> <p>all four poles correctly labelled (1)</p> | <p>judge by eye but do not allow rectangles in contact</p> | (2)<br>AO3 |

| Question number | Answer  | Additional guidance   | Mark       |
|-----------------|---|---|------------|
| 5 (a) (ii)      | <p>a description to include</p> <p>place a (plotting) compass on the paper (near to the magnet(s)) and mark direction of the field (at that point) (1)</p> <p>determine how the field continues from that point (1)</p> <p>connect field lines to reveal overall shape(1)</p> | <p>place a (plotting) compass on the paper (near to the magnet(s)) and put a dot at each end of the needle</p> <p>move compass so that one end of the needle is over the mark (just made)</p> <p>join up the dots</p> | (3)<br>AO1 |

| Question number | Answer  | Additional guidance  | Mark       |
|-----------------|---|--|------------|
| 5 (b) (i)       | substitution of values (1)<br>$1.2 = \frac{K}{4(.0)^2}$<br>rearrangement and evaluation (1)<br><br>(K=) 19<br><br>unit (1)<br>N cm <sup>2</sup> | allow rearrangement before substitution (K=) $1.2 \times 4(.0)^2$<br><br>19.2<br>0.00192<br><br>award full marks for the correct answer without working independent mark<br><br>N m <sup>2</sup> | (3)<br>AO2 |

| Question number | Answer   | Additional guidance                           | Mark       |
|-----------------|--|---|------------|
| 5 (b) (ii)      | same magnitude <b>and</b> opposite direction (1) | allow (now) attraction for opposite direction | (1)<br>AO1 |

Question 5 total 9 marks



| Question number | Answer   | Additional guidance   | Mark                     |
|-----------------|--|---|--------------------------|
| <b>6 a</b>      | (sum of ) the clockwise moments = (sum of) the anticlockwise moments | moment of magnet = moment of modelling clay<br>moments are equal (size) | <b>(1)</b><br><b>AO1</b> |

| Question number | Answer  | Additional guidance   | Mark                     |
|-----------------|---|---|--------------------------|
| <b>6 b</b>      | recall and substitution (1)<br><br>(force x 12.0 =) 0.050 x 8.4<br><br>rearrangement (1)<br><br>(force =) $\frac{0.050 \times 8.4}{12.0}$<br><br>evaluation (1)<br><br>(force = ) 0.035 (N) | allow substitution and rearrangement in either order<br><br><br><br><br><br><br>award full marks for the correct answer without working.<br><br>if no other marks scored then award 1 mark for answers that round to 29 ( eg 28.57) (substitution mark) | <b>(3)</b><br><b>AO2</b> |

| Question number | Answer  | Additional guidance   | Mark                     |
|-----------------|---|---|--------------------------|
| <b>6 c</b>      | <p>a description to include <b>four</b> of the following</p> <p>measure the value of current (1)</p> <p>measure force or distance(1)</p> <p>vary the current (1)</p> <p>restore equilibrium of system (1)</p> <p>calculate ratio between force and current or distance and current (1)</p> <p>if ratio is the same then they are proportional (1)</p> | <p>accept calculate for measure</p> <p>increase weight or move (existing) weight to new position</p> <p>plot a graph of force / distance against current</p> <p>graph would be a straight line (through the origin)</p> | <b>(4)</b><br><b>AO3</b> |

| Question number | Answer  | Additional guidance  | Mark                     |
|-----------------|---|--|--------------------------|
| <b>6 d</b>      | <p>move the (position of) the (0.050 N) weight (1)</p> <p>to the other side of the pivot/3.6 cm from the magnet (1)</p> | <p>adjust mass of modelling clay</p> <p>reduce (mass of modelling clay) by taking some away</p> <p>add (additional) weight between pivot and magnet scores 2 marks</p> | <b>(2)</b><br><b>AO3</b> |

**Total for question 6 = 10 marks**

| Question number | Answer   | Additional guidance | Mark       |
|-----------------|--|---------------------|------------|
| 7 (a) (i)       | D R and S<br><br>A, B and C are incorrect because the difference in vertical positions are all less than that shown by R and S |                     | (1)<br>AO1 |

| Question number | Answer   | Additional guidance   | Mark       |
|-----------------|--|---|------------|
| 7 (a) (ii)      | recall (1)<br>work done = force x distance<br><br>substitution and evaluation (1)<br><br>(work done = ) 14,000 (J) | (work done) = 700 x 20<br><br><br>award full marks for the correct answer without working | (2)<br>AO1 |

| Question number | Answer   | Additional guidance   | Mark       |
|-----------------|--|---|------------|
| 7 (a) (iii)     | substitution (1)<br><br>$11250 = m \times 10 \times 15$<br><br>rearrangement and evaluation (1)<br><br>(mass=) 75 (kg) | <br><br><br>award full marks for the correct answer without working.<br><br>if no other marks scored then award 1 mark for answers of 0.013 (substitution mark using $h = 15$ ) | (2)<br>AO2 |

| Question number | Answer   | Additional guidance                               | Mark       |
|-----------------|--|---|------------|
| 7 (a)(iv)       | <p>An explanation linking</p> <p>some work is done to overcome friction/air resistance (1)</p> <p>energy is dissipated /transferred to the environment (1)</p> | <p>allow energy is lost</p> <p>thermal energy</p> | (2)<br>AO1 |

| Question number | Answer  | Additional guidance | Mark       |
|-----------------|---|---------------------|------------|
| 7 (a)(v)        | <p>C increase the efficiency of the cyclist and bicycle</p> <p>A is incorrect because lubrication has no effect on work done against gravity</p> <p>B is incorrect because lubrication will increase efficiency</p> <p>D is incorrect because the overall energy transfer will not increase</p> |                     | (1)<br>AO1 |

| Question number | Answer   | Additional guidance  | Mark                     |
|-----------------|--|--|--------------------------|
| 7 (b)           | substitution (1)<br>$2,800 = \frac{1}{2} \times 85 \times v^2$<br>rearrangement (1)<br>$(v^2 =) \frac{2800 \times 2}{85}$<br>evaluation (1)<br>$v = 8.1 \text{ (m/s)}$ | allow substitution and rearrangement in either order<br><br>66 or 65.88 seen<br><br>allow values that round to 8.1 e.g 8.1168<br>award full marks for the correct answer without working | <b>(3)</b><br><b>AO2</b> |

**Total for question 7 = 11 marks**

| Question number  | Answer   | Additional guidance   | Mark                     |
|------------------|--|---|--------------------------|
| <b>8 (a) (i)</b> | voltmeter connected in parallel with device (1)<br><br>ammeter connected in series with device (1) | voltmeter connected in parallel with battery<br>may be in top or bottom of circuit and could be inside or outside the voltmeter connections | <b>(2)</b><br><b>AO1</b> |

| Question number   | Answer   | Additional guidance  | Mark                     |
|-------------------|--|--|--------------------------|
| <b>8 (a) (ii)</b> | recall and substitution (1)<br><br>(power = ) $12 \times 4.8$<br>evaluation (1)<br><br>(power = ) 58 (W) | voltmeter connected in parallel with battery<br>allow values that round to 58 e.g. 57.6<br><br>award full marks for the correct answer without working | <b>(2)</b><br><b>AO2</b> |

| Question number    | Answer  | Additional guidance   | Mark           |
|--------------------|---|---|----------------|
| <b>8 (a) (iii)</b> | substitution (1)<br><br>(power = )<br>$12 \times 600(/1000) \times 7 (x60)$<br><br>evaluation (1)<br><br>(energy = ) 3000 (J) | allow values that round to 3000 e.g 3024<br><br>allow 1 mark for any other values of 3(.024) to any power of ten.<br><br>if no other marks scored then award 1 mark for answers of 50,400 or 50.4 (substitution mark)<br><br>award full marks for the correct answer without working. | <b>(2) AO2</b> |

| Question number  | Answer   | Additional guidance | Mark           |
|------------------|----------|---------------------|----------------|
| <b>8 (b) (i)</b> | 17.7 (A) |                     | <b>(1) AO1</b> |

| Question number   | Answer                     | Additional guidance | Mark           |
|-------------------|----------------------------|---------------------|----------------|
| <b>8 (b) (ii)</b> | (The resistance) increases |                     | <b>(1) AO1</b> |

| Question number    | Answer   | Additional guidance | Mark               |
|--------------------|--|---------------------|--------------------|
| <b>8 (b) (iii)</b> | B 5 A fuse<br><br>A is incorrect because it has a smaller value than the expected current<br>C and D are incorrect because they have a much higher value than the expected current |                     | <b>(1)<br/>AO1</b> |

| Question number   | Answer  | Additional guidance  | Mark               |
|-------------------|---|--|--------------------|
| <b>8 (b) (iv)</b> | An explanation linking <b>two</b> of<br><br>thick(er) wires have low(er) resistance (1)<br><br>less thermal energy transferred (in the wires)(1)<br><br>less potential difference / voltage (drop) across the wires (1) | allow reverse argument<br><br>allow so wires do not get hot<br><br>allow less voltage is lost<br>more current can be carried | <b>(2)<br/>AO1</b> |

**Total for question 8 = 11 marks**



| Question number | Answer   | Additional guidance | Mark       |
|-----------------|--|---------------------|------------|
| 9ai             | <p>D half the size of the voltage across the primary coil</p> <p>A and B are incorrect because the voltage will not necessarily be twice or half the value of the current</p> <p>C is incorrect because the voltage across secondary coil will be less than that across the primary coil</p> |                     | (1)<br>AO2 |

| Question number | Answer   | Additional guidance | Mark       |
|-----------------|--|---------------------|------------|
| 9 aii           | <p>an explanation linking <b>three</b> of</p> <p>magnetic field in primary / secondary coil / core (due to current) (1)</p> <p>magnetic field is alternating (1)</p> <p>(this magnetic) field cuts/links secondary coil (1)</p> <p><u>induces</u> an alternating voltage (across secondary coil) (1)</p> |                     | (3)<br>AO1 |

| Question number | Answer   | Additional guidance  | Mark                     |
|-----------------|--|--|--------------------------|
| 9b              | substitution into $\frac{V_p}{V_s} = \frac{N_p}{N_s}$ (1)<br><br>$\frac{230}{15} = \frac{600}{N_s}$<br><br>Rearrangement and evaluation<br>(1)<br>$(N_s = ) \frac{600 \times 15}{230}$<br><br>$= 39$ | allow substitution and rearrangement in either order<br><br><br><br><br><br><br><br><br><br><br>accept values that round to 39<br>e.g. 39.13<br>award full marks for the correct answer without working.<br><br>if no other marks scored then award 1 mark for answers of that round to 0.026 (eg 0.255) (substitution mark) | <b>(2)</b><br><b>AO2</b> |

| Question number | Indicative content   | Mark                                     |
|-----------------|--|--|
| *9(c)           | <p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.</p> <p>The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <ul style="list-style-type: none"> <li>• coil moving/cuts through magnetic field</li> <li>• coil experiences changing magnetic field</li> <li>• induces a voltage/current in the coil</li> <li>• size of voltage/current depends on rate of change of magnetic field</li> <li>• rate of change depends on angle between direction of movement and direction of field.</li> <li>• greatest (rate of) change when coil moving perpendicular to field.</li> <li>• maximum current at Q and S</li> <li>• coil is horizontal at Q and S</li> <li>• coil moving vertically up at Q and down at S</li> <li>• direction of current at Q opposite to S.</li> <li>• no change when coil moving parallel to field.</li> <li>• zero current at P, R and T</li> <li>• coil vertical at P, R, and T</li> </ul> <p>Credit can be given for correctly labelled diagrams</p> | <p><b>(6)</b><br/><b>AO2 and AO3</b></p> |

| Level   | Mark | Descriptor  |
|---------|------|---|
|         | 0    | <ul style="list-style-type: none"> <li>No awardable content</li> </ul>  |
| Level 1 | 1–2  | <ul style="list-style-type: none"> <li>Interpretation and evaluation of the information attempted but will be limited with a focus on mainly just one variable. Demonstrates limited synthesis of understanding. (AO3)</li> <li>The explanation attempts to link and apply knowledge and understanding of scientific ideas, flawed or simplistic connections made between elements in the context of the question. (AO2)</li> </ul> |
| Level 2 | 3–4  | <ul style="list-style-type: none"> <li>Interpretation and evaluation of the information on both variables, synthesising mostly relevant understanding. (AO3)</li> <li>The explanation is mostly supported through linkage and application of knowledge and understanding of scientific ideas, some logical connections made between elements in the context of the question. (AO2)</li> </ul>                                       |
| Level 3 | 5–6  | <ul style="list-style-type: none"> <li>Interpretation and evaluation of the information, demonstrating throughout the skills of synthesising relevant understanding. (AO3)</li> <li>The explanation is supported throughout by linkage and application of knowledge and understanding of scientific ideas, logical connections made between elements in the context of the question. (AO2)</li> </ul>                               |

| Level   | Mark | Additional Guidance  | General additional guidance – the decision within levels  |
|---------|------|--|---|
|         | 0    | No rewardable material.  | e.g. - At each level, as well as content, the scientific coherency of what is stated will help place the answer at the top, or the bottom, of that level.   |
| Level 1 | 1–2  | <u>Additional guidance</u><br>isolated facts about interaction of electric current and magnetic fields <b>or</b> one salient feature of the graph                            | <u>Possible candidate responses</u><br>the coil experiences a changing magnetic field as it rotates. Size of the (induced) current varies.  |
| Level 2 | 3–4  | <u>Additional guidance</u><br>simple description of why current changes (either in direction or magnitude) <b>and</b> reference to at least one relevant point on the graph. | <u>Possible candidate responses</u><br>at position R the (plane of the) coil is parallel to the field and there is no current<br><b>Or</b><br>at position Q the coil is moving quickly through the field and the current is large.  |
| Level 3 | 5–6  | <u>Additional guidance</u><br>Full description of why current changes in magnitude or direction <b>and</b> reference to at least two relevant points on the graph            | <u>Possible candidate responses</u><br>At Q, the coil is horizontal and moving most quickly across the field so the current is at its greatest. At R the coils is vertical and moving parallel to the field so there is no current. |

**Total for question 9 = 12 marks**

| Question number | Answer  | Additional guidance | Mark                     |
|-----------------|---|---------------------|--------------------------|
| 10ai            | substitution into<br>$\Delta Q = m \times s \times \Delta T \quad (1)$<br>$(\Delta Q) = 1.41 \times 4200 \times (100-25)$ |                     | <b>(3)</b><br><b>AO2</b> |

|  |  |  |  |
|--|--|--|--|
|  | <p>evaluation (1)</p> <p>(energy =) 444,150 (J)</p> <p>answer to 2 sf (1)</p> <p>440,000 (J)</p> | <p>ignore POT error for this mark</p> <p>independent mark<br/>allow 3 sf<br/>444,000</p> <p>award full marks for the correct answer without working</p> <p>award 1 mark for answers with values 148,050 or 592,200 (incorrect temp and sf)</p> <p>award 2 marks for answers with values 150,000 or 148,000 or 590,000 or 592,000 (incorrect temp but allowed sf)</p> |  |
|--|--|--|--|

| Question number | Answer  | Additional guidance  | Mark                     |
|-----------------|---|--|--------------------------|
| 10aii           | substitution into<br>$\Delta Q = m \times L$ $450,000 = (1.41 - 1.21) \times L$ <p style="text-align: right;">(1)</p> rearrangement<br>$L = \frac{450,000}{0.2}$ <p style="text-align: right;">(1)</p> evaluation<br>$(L) = 2\,200\,000 \text{ (J/kg)}$ <p style="text-align: right;">(1)</p> | allow substitution and rearrangement in either order<br><br><br><br><br><br><br><br><br><br>accept 2 250 000<br><br>award full marks for the correct answer without working<br><br>award 1 mark for answers that round to 330,000 or 370,000 (incorrect mass used) | <b>(3)</b><br><b>AO2</b> |

| Question number | Indicative content  | Mark                  |
|-----------------|---|-----------------------|
| *10(b)          | <p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.</p> <p>The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <p>Procedure</p> <ul style="list-style-type: none"> <li>• Measure the temperature of the boiling water</li> <li>• Allow sufficient time for block to reach temperature of boiling water</li> <li>• Measure temperature of cold water in beaker</li> <li>• Using a thermometer</li> <li>• Transfer (hot) aluminium block to cold water in the beaker.</li> <li>• Work quickly to avoid thermal energy loss during transfer</li> <li>• Measure temperature of water</li> <li>• Stir to ensure even distribution</li> <li>• Measure maximum temperature reached by water</li> <li>• Calculate temp rise of water by subtracting initial from final temperature.</li> <li>• Calculate temp drop of aluminium by subtracting final temperature from 100.</li> <li>• Find mass of beaker and water and aluminium</li> <li>• Use a balance</li> <li>• Empty water from beaker and dry beaker and block</li> <li>• Weigh beaker and block alone</li> <li>• Find mass of water by subtraction.</li> <li>• Allow plausible method of finding mass of water before putting block in.</li> </ul> <p>Process results</p> <ul style="list-style-type: none"> <li>• Calculate thermal energy gained water using <math>\Delta Q = m \times c \times \Delta\theta</math></li> <li>• Thermal energy gained by water = thermal energy lost by aluminium</li> <li>• Specific heat capacity of aluminium =</li> </ul> $\frac{\text{thermal energy transferred}}{\text{mass of Al} \times \text{temp drop of Al}}$ | (6)<br>AO2 and<br>AO3 |



| Level   | Mark | Descriptor   |
|---------|------|--|
|         | 0    | <ul style="list-style-type: none"> <li>No awardable content</li> </ul>   |
| Level 1 | 1–2  | <ul style="list-style-type: none"> <li>The plan attempts to link and apply knowledge and understanding of scientific enquiry, techniques and procedures, flawed or simplistic connections made between elements in the context of the question. (AO2)</li> <li>Analyses the scientific information but understanding and connections are flawed. An incomplete plan that provides limited synthesis of understanding. (AO3)</li> </ul>   |
| Level 2 | 3–4  | <ul style="list-style-type: none"> <li>The plan is mostly supported through linkage and application of knowledge and understanding of scientific enquiry, techniques and procedures, some logical connections made between elements in the context of the question. (AO2)</li> <li>Analyses the scientific information and provides some logical connections between scientific enquiry, techniques and procedures. A partially completed plan that synthesises mostly relevant understanding, but not entirely coherently. (AO3)</li> </ul> |
| Level 3 | 5–6  | <ul style="list-style-type: none"> <li>The plan is supported throughout by linkage and application of knowledge and understanding of scientific enquiry, techniques and procedures, logical connections made between elements in the context of the question. (AO2)</li> <li>Analyses the scientific information and provide logical connections between scientific concepts throughout. A well-developed plan that synthesises relevant understanding coherently. (AO3)</li> </ul>  |

**Summary for guidance**

| Level   | Mark | Additional Guidance   | General additional guidance – the decision within levels<br>e.g. - At each level, as well as content, the scientific coherency of what is stated will help place the answer at the top, or the bottom, of that level.  |
|---------|------|---|--|
|         | 0    | No rewardable material.   |  |
| Level 1 | 1–2  | <u>Additional guidance</u><br>Partially complete description of a suitable procedure with at least one measurement  | <u>Possible candidate responses</u><br>Heat up the block in the boiling water. Then put the block into the cold water. Measure the temperature reached by the water.   |
| Level 2 | 3–4  | <u>Additional guidance</u><br>Mostly complete description of a suitable procedure with at least two measurements and some description of processing the results.      | <u>Possible candidate responses</u><br>As above with<br>Measure mass of water.<br>Use $\Delta Q = m \times c \times \Delta\theta$ to find thermal energy transferred   |
| Level 3 | 5–6  | <u>Additional guidance</u><br>Detailed description of a suitable procedure with most of the necessary measurements and a clear description of processing the results. | <u>Possible candidate responses</u><br>As above with<br>Calculate temperature changes by subtraction.<br>Calculate thermal energy lost by Al as being equal to thermal energy gained by water.<br><br>Specific heat capacity of Al = $\frac{\text{thermal energy transferred}}{\text{mass of Al} \times \text{temp drop of Al}}$ |

**Question 10 = 11 marks**

**Total for paper = 100 marks**