



Wednesday 21 June 2017 - Morning

GCSE TWENTY FIRST CENTURY SCIENCE CHEMISTRY A/FURTHER ADDITIONAL SCIENCE A

A173/02 Module C7 (Higher Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:

None

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: 1 hour



Candidate forename				Candidate surname				
Centre numb	per				Candidate number			

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do not write in the barcodes.

INFORMATION FOR CANDIDATES

- The quality of written communication is assessed in questions marked with a pencil ().
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 60.
- The Periodic Table is printed on the back page.
- This document consists of 20 pages. Any blank pages are indicated.



1 Indigestion is caused by excess hydrochloric acid in the stomach.

Dee looked at packets of indigestion tablets and found that they all contain sodium hydrogencarbonate, $NaHCO_3$.

- (a) In the stomach, sodium hydrogencarbonate reacts with hydrochloric acid.
 - (i) Complete the word and symbol equation for the reaction.

sodium hydrogencarbonate	+	hydrochloric acid	\rightarrow	+	carbon dioxide	+	water
NaHCO ₃	+		$\bigg]\!\to\!$	+	CO ₂	+	H ₂ O
							[2

(ii) One of the side effects of taking medicines which contain sodium hydrogencarbonate is pain caused by a build-up of gas in the stomach.

Use the e the stoma	•	xplain how sod	ium hydroge	encarbonate o	causes a build	d-up of gas ir
						[2]

(b) Dee makes up a standard solution of sodium hydrogencarbonate.

This is some of the equipment she uses:

- solid sodium hydrogencarbonate
- balance
- beaker and glass rod
- distilled water
- funnel
- volumetric flask
- dropping pipette.

Describe how Dee uses this equipment to make an accurate standard solution of sodium hydrogencarbonate.

Th.	ne quality of written communication will be assessed in your answer.
	[6]

(c) Dee makes some other standard solutions, A, B and C.

The table shows some data about the solutions she makes.

Standard solution	Mass of sodium hydrogencarbonate used in g	Volume of standard solution in cm ³	Concentration in g/dm ³
Α	2.5	500.0	5.0
В	2.5	250.0	
С		100.0	2.5

(i)	Calculate the concentration of solution B .
	concentration = g/dm ³ [2]
(ii)	Calculate the mass of sodium hydrogencarbonate used to make solution C .

mass = g [2]

[Total: 14]

5 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE


2 Lemon juice contains an acid.

Joe does some titrations to find the concentration of acid in a bottle of lemon juice from a shop.

He uses a measuring cylinder to measure 5 cm³ samples of lemon juice.

He adds an indicator to the lemon juice, then does a titration using dilute sodium hydroxide.

The diagram shows how he sets up his titration.



For each sample of lemon juice, Joe does a rough titration and then several titration repeats.

These are Joe's results.

	Dough	Titration repeats				
	Rough	1	2	3	4	
Volume dilute sodium hydroxide used (cm ³)	25.0	24.0	26.5	27.0	19.0	

(a)	(i)	Joe thinks that the data from his titrations is poor quality.
		Explain why he is right.
		[2]
	(ii)	Joe thinks that the problem is caused because his measuring cylinder does not give a precise measurement of the lemon juice.

[1

Suggest what Joe could use to measure the lemon juice more precisely.

(b) Joe repeats his titrations.

These are his new results.

	Pough	Titration repeats				
	Rough	1	2	3	4	
Volume dilute sodium hydroxide used (cm ³)	25.0	24.0	25.0	23.5	23.0	

(i)	Joe chooses titration results that are within 0.5 cm ³ of each other to calculate the best
	estimate of the true volume of dilute sodium hydroxide used.

Put a ring around the **three** results in the table he uses.

(ii) Use the results to calculate a best estimate for the volume of dilute sodium hydroxide used.

	cm ³	[2
--	-----------------	----

(iii) Joe uses this equation to work out the concentration of the lemon juice.

concentration in % = best estimate of volume of dilute sodium hydroxide in cm³
5

The label on the bottle of lemon juice says that it contains 5% lemon juice.


Do Joe's titration results agree with this value? Use ideas about significant figures to justify your answer.

[2]


[Total: 8]

[1]

3 Ali gives a talk about making hydrogen from water to use as a fuel.



He uses a slide showing these energy level diagrams to support his points.



Use the energy changes shown on both diagrams to justify reasons why hydrogen is a 'great fuel to use' but why using it as a fuel is not sustainable if it is made from water.

The quality of written communication will be assessed in your answer.
[6]
 [Total: 6]
[Iotal: 6]

- 4 Octane and nonane are alkanes that are used in car fuels.
 - (a) Complete the balanced symbol equation for the complete combustion of nonane.


$$C_9H_{20} + 14O_2 \longrightarrow$$

[2]

- **(b)** Cracking is a reaction used in a petrol refinery to make smaller molecules from long-chain alkanes.
 - (i) The diagram shows what happens when cracking is used to make two molecules of ethene from an octane molecule.

One other molecule is also made.

In the box provided **draw** the structure and give the **name** of the other molecule.



[2]

(ii) Which statements are only **true for octane**, which are **only true for ethene**, and which are **true for both**?

Put a tick (✓) in one box in each row.

Statement	Only true for octane	Only true for ethene	True for both
contains all single bonds			
molecules are unsaturated			
molecules are hydrocarbons			
unreactive with aqueous solutions			

[3]


[Total: 7]

5 Ethene is used in an industrial process to make ethanol.

This is the equation for the main reaction in the process.

$$C_2H_4 + H_2O \rightleftharpoons C_2H_5OH$$

This flow diagram summarises the process.



		COOLER	
		—	
		liquid ethanol	
(a)	a) Use the equation to explain why it is necessary to recycle et	hene gas in the process.	
			[2]
(b)			
ν,			
	Explain why the temperature chosen in the reactor is a com	promise.	
			[2]
(c)	The reactor contains phosphoric(V) acid and uses a pressur	re of 70 atm.	
	Explain how these conditions affect the reaction in the react	or.	
			[2]

	[Total: 8]
	[2]
	Use information from the flow chart to explain your answer.
(d)	Which compound, ethene or ethanol, has the highest boiling point?

6 Ayesha investigates two reactions of ethanol, reaction 1 and reaction 2.

In **reaction 1**, she reacts ethanol with ethanoic acid. In **reaction 2** she reacts ethanol with a different compound.

The two reactions are shown below.

Reaction 1

Reaction 2

Discuss the similarities and differences between the two reactions opposite and their products.
The quality of written communication will be assessed in your answer.
[6]
[Total: 6]

7 Over 10 million tonnes of phenol are made worldwide every year. Phenol is used to make many plastic products for buildings and packaging.

Phenol has been manufactured for over 100 years. The table gives information about an older process to make phenol and a modern process.

	Older process	Modern process	
Raw materials	Benzene (from fossil fuels) Sulfuric acid Sodium hydroxide	Benzene Propene (both from fossil fuels)	
Yield	82%	87%	
Atom economy	37%	100%	
Waste products	Sodium sulfite (toxic)	None, by-products are useful	
Conditions	High temperature and pressure	High temperature and pressure	

(a)	Use	e the information to explain why the atom economy of the two processes are different.	
			. [2]
(b)	The	e modern process involves more green chemistry than the older process.	
	Use	e the information to explain why.	
			. [3]
(c)	A te	eam of scientists are investigating how to make the modern process more green.	
	(i)	One factor they are investigating is ways to increase yield.	
		Suggest two other factors they could investigate to make the process even greener.	
		1	
		2	
			. [2]

	(ii)	Scientists in the team share their data with each other.	
		Give two reasons why they do this.	
		1	
		2	
			[2]
(d)	Son	ne green chemical processes use enzymes as catalysts.	
		ymes have some disadvantages because they limit the comical processes.	onditions that can be used in
	Wha	at are the disadvantages of using enzymes as catalysts?	
	Put	a tick (\checkmark) in the boxes next to two disadvantages of using e	nzymes.
	Enz	ymes speed up chemical reactions.	
	Enz	ymes have specific pH ranges.	
	Enz	ymes provide alternative routes for reactions.	
	Enz	ymes work best at a narrow optimum temperature range.	
	Enz	ymes reduce activation energy.	
			[2]
			[Total: 11]

END OF QUESTION PAPER

18

ADDITIONAL ANSWER SPACE

if additional space is required, you should use the following lined page(s). The question humber(s) must be clearly shown in the margin(s).						

OCR Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

0	4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	t fully
_		19 F fluorine 9	35.5 Cl chlorine 17	80 Br bromine 35	127 I iodine 53	[210] At astatine 85	orted but no
9		16 0 oxygen 8	32 S sulfur 16	79 Se setenium 34	128 Te tellurium 52	[209] Po potentium 84	ve been repo
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	rs 112-116 hav authenticated
4		12 C carbon 6	28 Si siticon	73 Ge germanium 32	119 Sn tin 50	207 Pb tead 82	mic numbers a
c		11 B boron 5	27 Al aluminium 13	70 Ga gallium 31	115 In indium 49	204 T t thallium 81	Elements with atomic numbers 112-116 have been reported but not fully authenticated
	'			65 Zn zinc 30	112 Cd cadmium 48	201 Hg	Eleme
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	Rg roentgenium 111
				59 Ni nicket 28	106 Pd palladium 46	195 Pt platinum 78	Ds darmstadtium 110
				59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77	[268] Mt meitnerium 109
	1 H hydrogen 1			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
		mass ool number		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	[266] Sg seaborgium 106
	Key	relative atomic mass atomic symbol _{name} atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
		relati atc atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafinium 72	[261] Rf rutherfordium 104
	·			45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57	[227] Ac* actinium 89
2		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
_		7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.