

# F

# Thursday 16 May 2019 – Morning GCSE (9–1) Chemistry A (Gateway Science)

J248/01 Paper 1 (Foundation Tier)

Time allowed: 1 hour 45 minutes

#### You must have:

- a ruler (cm/mm)
- the Data Sheet (for GCSE Chemistry A (inserted))

#### You may use:

- · a scientific or graphical calculator
- an HB pencil



| Please write cle | arly in | black | k ink. | Do no | ot writ | e in the barcodes. |  |  | \ |
|------------------|---------|-------|--------|-------|---------|--------------------|--|--|---|
| Centre number    |         |       |        |       |         | Candidate number   |  |  |   |
| First name(s)    |         |       |        |       |         |                    |  |  |   |
| Last name        |         |       |        |       |         |                    |  |  | , |

#### **INSTRUCTIONS**

- The data sheet will be found inside this document.
- Use black ink. You may use an HB pencil for graphs and diagrams.
- Answer all the questions.
- Where appropriate, your answers should be supported with working. Marks may be given for a correct method even if the answer is incorrect.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.

#### **INFORMATION**

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [ ].
- Quality of extended responses will be assessed in questions marked with an asterisk (\*).
- · This document consists of 28 pages.




#### **SECTION A**

#### Answer all the questions.

You should spend a maximum of 30 minutes on this section.

#### Write your answer to each question in the box provided.

1 This particle model shows the particles in iron.



What state does this particle model represent?

- A Gas
- **B** Liquid
- C Plasma
- **D** Solid

Your answer [1]

**2** A student reacts calcium carbonate with hydrochloric acid.

$$\mathsf{CaCO}_3(\mathsf{s}) \; + \; 2\mathsf{HC}\mathit{l}(\mathsf{aq}) \; \longrightarrow \; \mathsf{CaC}\mathit{l}_2(\mathsf{aq}) \; + \; \mathsf{H}_2\mathsf{O}(\mathsf{I}) \; + \; \mathsf{CO}_2(\mathsf{g})$$

What physical state does (g) represent in the balanced symbol equation?

- **A** Aqueous
- **B** Gas
- **C** Liquid
- **D** Solid

Your answer [1]

3 Substances can exist in three states of matter.

| Solid | <u> </u> | Liquid |   | <u> </u> | Gas |
|-------|----------|--------|---|----------|-----|
|       |          | •      | V |          |     |


What is change of state Y called?

- **A** Condensing
- **B** Evaporating
- **C** Freezing
- **D** Melting

| Your answer |  | [1] |
|-------------|--|-----|
|-------------|--|-----|

4 The positions of some elements in the Periodic Table are shown by the letters **A** to **G**.

The letters shown are **not** the symbols of the elements.



Which elements are in Period 2?

- A A and E
- B C and B
- C C and G
- D D and F

Your answer [1]

| 5 | The  | The formula of sulfuric acid is H <sub>2</sub> SO <sub>4</sub> .        |     |  |  |  |  |
|---|--|---|-----|--|--|--|--|
|   | What is the <b>relative formula mass</b> , $M_{\rm r}$ , of sulfuric acid? |   |     |  |  |  |  |
|   | The  | The relative atomic mass, $A_r$ , of H is 1, of S is 32 and of O is 16. |     |  |  |  |  |
|   | Α  | 49  |     |  |  |  |  |
|   | В  | 98  |     |  |  |  |  |
|   | С  | 130   |     |  |  |  |  |
|   | D  | 200   |     |  |  |  |  |
|   | You  | r answer  | [1] |  |  |  |  |
| 6 | Whi  | ich of these is a <b>physical</b> change?                               |     |  |  |  |  |
|   | Α  | Burning wood  |     |  |  |  |  |
|   | В  | Melting wax   |     |  |  |  |  |
|   | С  | Neutralising an acid  |     |  |  |  |  |
|   | D  | Rusting iron  |     |  |  |  |  |
|   | You  | r answer  | [1] |  |  |  |  |
| 7 | Whi  | ich substance has <b>ionic</b> bonding?                                 |     |  |  |  |  |
|   | Α  | Carbon dioxide  |     |  |  |  |  |
|   | В  | Carbon monoxide   |     |  |  |  |  |
|   | С  | Magnesium oxide   |     |  |  |  |  |
|   | D  | Oxygen  |     |  |  |  |  |
|   | You  | r answer  | [1] |  |  |  |  |

| ŏ  | The  | e diameter of one type of carbon nanotube is 20 nm.                                   |     |
|----|------|---|-----|
|    | Wh   | at is 20 nm in metres?  |     |
|    | Α    | $2 \times 10^{-3} \mathrm{m}$   |     |
|    | В    | $2 \times 10^{-8} \mathrm{m}$   |     |
|    | С    | $2 \times 10^{-20} \mathrm{m}$  |     |
|    | D    | $2 \times 10^{-16} \mathrm{m}$  |     |
|    | You  | or answer   | [1] |
| 9  | Len  | non juice can be described as a weak acid.  |     |
|    | Wh   | at is the pH value for a weak acid?   |     |
|    | Α    | pH 1  |     |
|    | В    | pH 4  |     |
|    | С    | pH 7  |     |
|    | D    | pH 14   |     |
|    | You  | r answer  | [1] |
| 10 | In 1 | 803 John Dalton suggested that all matter is made from atoms.                         |     |
|    | The  | e electron was the first subatomic particle to be discovered by J.J. Thomson in 1897. |     |
|    | J.J. | Thomson developed Dalton's model to show the presence of electrons.                   |     |
|    | Wh   | at was J.J. Thomson's model called?   |     |
|    | Α    | Bohr model  |     |
|    | В    | Particle model  |     |
|    | С    | Planetary model   |     |
|    | D    | Plum-pudding model  |     |
|    | You  | er answer   | [1] |

| 11 | 1 What is meant by the activation energy in a chemical reaction? |   |     |
|----|--|---|-----|
|    | Α  | The total energy used up when a reaction has stopped.                     |     |
|    | В  | The energy absorbed during a reaction.                                    |     |
|    | С  | The energy released during a reaction.                                    |     |
|    | D  | The minimum energy needed for a reaction to occur.                        |     |
|    | You  | r answer  | [1] |
| 12 | Asc  | odium atom can be shown as:   |     |
|    | <sup>23</sup> N  | <b>l</b> a  |     |
|    | Hov  | v many protons, neutrons and electrons are in a sodium atom?              |     |
|    | Α  | 11 protons, 12 neutrons, 11 electrons                                     |     |
|    | В  | 11 protons, 11 neutrons, 12 electrons                                     |     |
|    | С  | 12 protons, 12 neutrons, 11 electrons                                     |     |
|    | D  | 12 protons, 11 neutrons, 11 electrons                                     |     |
|    | You  | r answer  | [1] |
| 13 | The  | molecular formula of hydrogen peroxide is H <sub>2</sub> O <sub>2</sub> . |     |
|    | Wha  | at is the empirical formula of hydrogen peroxide?                         |     |
|    | Α  | $H_2O_2$  |     |
|    | В  | H <sub>2</sub> O  |     |
|    | С  | НО  |     |
|    | D  | $H_2O_4$  |     |
|    | You  | r answer  | [1] |

| 14 | Dur  | ing the electrolysis of molten copper chloride, what is made at the <b>positive</b> electrode (anot | de)? |  |  |  |
|----|--|---|------|--|--|--|
|    | Α  | Chloride  |      |  |  |  |
|    | В  | Chlorine  |      |  |  |  |
|    | С  | Copper  |      |  |  |  |
|    | D  | Hydrogen  |      |  |  |  |
|    | You  | ar answer   | [1]  |  |  |  |
| 15 | The  | e formula of a magnesium ion is Mg <sup>2+</sup> .  |      |  |  |  |
|    | The formula of a nitrate ion is NO <sub>3</sub> <sup>-</sup> . |   |      |  |  |  |
|    | Wh   | at is the formula of magnesium nitrate?   |      |  |  |  |
|    | A  | $MgNO_3$  |      |  |  |  |
|    | В  | $Mg_2NO_3$  |      |  |  |  |
|    | С  | $Mg(NO_3)_2$  |      |  |  |  |
|    | D  | $Mg_2(NO_3)_3$  |      |  |  |  |
|    | You  | ır answer   | [1]  |  |  |  |

# **SECTION B**

Answer all the questions.

- **16** Different mixtures can be separated using different methods.
  - (a) Draw a line from each separation process to the apparatus used.

Use only **one** line for each process.


# **Separation process**


# Apparatus used


















| (b) | A st | udent is given a mixture of iron filings and sulfur powder.  |
|-----|------|--|
|     | Sug  | gest a method that he could use to separate the iron and sulfur.                                     |
|     |      | [1]  |
| (c) | The  | student heated the mixture to form solid iron sulfide. This is an example of a <b>mical change</b> . |
|     | Writ | e down <b>two</b> ways the student will know a chemical reaction has taken place.                    |
|     | 1    |  |
|     | 2    | [2]  |
| (d) | (i)  | The particle model shows how particles are arranged and how they move in solids, liquids and gases.  |
|     |      | Describe how the particles are <b>arranged</b> in a solid.   |
|     |      |  |
|     |      |  |
|     |      | [2]  |
|     | (ii) | Describe how the particles <b>move</b> in a solid.   |
|     |      |  |
|     |      | [1]  |

17 A new solid, compound  $\mathbf{X}$ , has been discovered. Scientists investigated the effect of heat on compound  $\mathbf{X}$ .

Look at the graph. It shows how the state of compound **X** changes as it is heated.



| (a | ) (i) | What | is the | melting | point | of | compound | <b>X</b> ? |
|----|-------|------|--------|---------|-------|----|----------|------------|
|----|-------|------|--------|---------|-------|----|----------|------------|

| Malting point - | °C         | <b>Г</b> 4 | ٦ |
|-----------------|------------|------------|---|
| Melting point = | <br>$\cup$ | U          | J |

(ii) A scientist describes compound **X** as a **pure** substance.

Explain what scientists mean when they describe compounds as pure.

[1]

(iii) Explain how the scientists tell from the graph that compound **X** is a pure substance.

.....

.....[1]

(b)\* Scientists find out some more information about compound  ${\bf X}.$ 

| Compound X                       |     |            |
|----------------------------------|-----|------------|
|                                  | YES | NO         |
| High melting point               | ✓   | X          |
| Conducts electricity when solid  | ×   | ✓ <b> </b> |
| Conducts electricity when molten | 1   | ×          |
|                                  |     |            |


| Describe and explain the type of bonding found in compound X. |
|---|
| Use all the information above to justify your answer.         |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
| [6]   |


**18** A painting has arrived at a local museum for a new exhibit.


To make sure the painting is genuine, a sample of the paints from the painting is sent to a laboratory for analysis.

The laboratory uses thin-layer chromatography to compare the sample of the paints from the painting with some paints used in 1849 and 1973.

The chromatograms are shown below.







Sample of the paints from the painting

Paints used in 1849

Paints used in 1973

(a) (i) Look at the chromatogram for the sample of the paints from the painting.

Which paint colour(s) is/are pure?

.....[1]


(ii) The red, blue and yellow paint from the painting are dissolved in different solvents, **X**, **Y** and **Z**.

The results are shown below.

|              |        | Solvent used              |                       |   |
|--------------|--------|---------------------------|-----------------------|---|
|              |        | X                         | Y                     | Z   |
|              | Red    | Red solid left in tube    | Clear red solution    | Clear red solution                                  |
| Paint colour | Blue   | Blue solid left in tube   | Clear blue solution   | Clear blue solution                                 |
|              | Yellow | Yellow solid left in tube | Clear yellow solution | Yellow solution with some yellow solid left in tube |

|     |       | Which solvent, X, Y or Z, should the laboratory use for the thin-layer chromatograph                                  | ıy? |
|-----|-------|---|-----|
|     |       | Explain why this would be better than the other solvents.   |     |
|     |       |   |     |
|     |       |   |     |
|     |       |   |     |
|     |       |   | [2] |
|     | (iii) | Scientists use $R_f$ values to compare the different spots on the chromatogram.                                       |     |
|     |       | Calculate the R <sub>f</sub> value for the <b>red paint</b> in the sample of paints from the painting.                |     |
|     |       | Use the equation: $R_f = \frac{\text{distance travelled by the substance}}{\text{distance travelled by the solvent}}$ |     |
|     |       | Give your answer to 2 significant figures.  |     |
|     |       |   |     |
|     |       |   |     |
|     |       |   |     |
|     |       |   |     |
|     |       | R <sub>f</sub> =  | [3] |
| (b) | The   | e laboratory think that the painting was completed in 1849.   |     |
|     | ls th | ne laboratory correct?  |     |
|     | Exp   | olain your answer.  |     |
|     |       |   |     |
|     |       |   |     |
|     |       |   |     |
|     |       |   | [1] |

19 A student investigates the reaction of different metals with hydrochloric acid.



| a) | (i)   | The student notices that the <b>temperature rises</b> when a metal is added to the acid.                                  |     |
|----|-------|---|-----|
|    |       | What name is given to this type of reaction when the temperature rises?   |     |
|    |       |   | [1] |
|    | (ii)  | The metal magnesium reacts with hydrochloric acid, ${\rm HC}l$ , to form magnesium chloric ${\rm MgC}l_2$ , and hydrogen. | de  |
|    |       | Write a <b>balanced symbol</b> equation for this reaction.  |     |
|    |       |   |     |
|    |       |   | [2  |
|    | (iii) | The experiment is repeated with aluminium and hydrochloric acid.  |     |
|    |       | Write down the <b>name</b> of the <b>salt</b> produced in this reaction.  |     |
|    |       | ·   | [4] |

(b) The student repeats the experiment with different metals.

She repeats the experiment three times for each metal.

She measures the temperature change in each experiment.

Look at her results.

(c)

| Metal     | Temperature change (°C) |        |        |  |
|-----------|-------------------------|--------|--------|--|
| Metal     | Test 1                  | Test 2 | Test 3 |  |
| Magnesium | 10.3                    | 10.5   | 10.2   |  |
| Zinc      | 8.6                     | 8.7    | 7.6    |  |
| Iron      | 5.2                     | 4.9    | 5.1    |  |

| (i)   | One of the student's results is anomalous.                                       |
|-------|--|
|       | Put a ring around the anomalous result in the table. [1]                         |
| (ii)  | Suggest a reason why the result could be anomalous.                              |
|       |  |
|       | [1]  |
| (iii) | Calculate the <b>mean</b> temperature change for <b>magnesium</b> .              |
|       | Give your answer to 1 decimal place.   |
|       |  |
|       |  |
|       |  |
|       | Mean temperature change =°C [2]  |
| (i)   | The student wants to improve her experiment to get more accurate results.        |
|       | Suggest an improvement to her experiment, which will give more accurate results. |
|       | Give a reason for the improvement.   |
|       | Improvement  |
|       |  |

Reason .....

[2]


| (ii) | The student concludes that the more reactive the metal is, the higher the temperature rise. |
|------|---|
|      | Describe further tests the student can do to confirm her conclusion.                        |
|      |   |
|      |   |

(d) A reaction profile shows the energy involved in a reaction.

Draw the reaction profile for the reaction between magnesium and hydrochloric acid.


#### Label the:

- products
- energy change
- · activation energy.




[3]

20 The diagrams show three different structures of carbon.



.....[1]

(c) Graphene is another substance made of carbon atoms. Graphene is a single layer of graphite. It is just one atom thick. Graphene can be used to make touchscreens for electronic devices.




Look at the table. It shows some properties of graphite and graphene.

| Substance | Cost | Electrical conductivity | Density | Strength | Colour      |
|-----------|------|-------------------------|---------|----------|-------------|
| Graphite  | low  | high                    | low     | low      | black       |
| Graphene  | high | high                    | low     | high     | transparent |

| Explain why <b>graphene</b> is suitable for making touchscreens. |
|--|
| Use the information from the table.                              |
|  |
|  |
|  |
|  |
| [2]  |
|  |

(d) (i) Carbon reacts with hydrogen to make methane,  $\mathrm{CH_4}$ .

Complete the dot and cross diagram to show the bonding in methane.



© OCR 2019

|      | Use ideas about structure and bonding in your answer. |
|------|---|
|      | Explain why methane has a low melting point.          |
| (ii) | Methane has a low melting point.                      |

| 21         | All elements | are made | of atoms  |
|------------|--------------|----------|-----------|
| <b>Z</b> I | All elements | are made | or atoms. |

Atoms are made of subatomic particles.

(a) (i) Complete the labels on the diagram of an atom.

|               | Nucleus containing  |
|---------------|---|
|               | and[2]  |
| (ii)          | Atoms have no overall charge.                             |
|               | Explain why.  |
|               | Use ideas about subatomic particles in your answer.       |
| <b>(b)</b> 10 | k at the information about two <b>isotopes</b> of carbon. |
| 1:            |   |
| 6             | <b>C</b> 6  |
| Ex            | lain why these are called isotopes.                       |
|               |   |
|               |   |

.....[2]

22 Lithium is a metal found in Group 1 of the Periodic Table.

| (a) | (i)   | Describe the structure and bonding in a metal.                 |
|-----|-------|--|
|     |       | You may include a diagram in your answer.                      |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       | [2]  |
|     | (ii)  | Lithium is malleable even though metallic bonds are strong.    |
|     |       | Explain why metals are malleable.                              |
|     |       |  |
|     |       | [1]  |
|     | (iii) | Lithium can conduct electricity in the solid and liquid state. |
|     |       | Explain why metals can conduct electricity.                    |
|     |       |  |
|     |       |  |
|     |       | [2]  |

(b) An alloy is a mixture of a metal with one or more other elements.

When lithium is mixed with aluminium it makes an alloy that can be used in aircraft.

Adding different amounts of lithium to the aluminium changes the properties of the alloy.

| Alloy | Percentage<br>of lithium<br>(%) | Density<br>(g/cm³) | Melting<br>point (°C) | Strength<br>(MPa) |
|-------|---------------------------------|--------------------|-----------------------|-------------------|
| Α     | 2.00                            | 2.58               | 670                   | 550               |
| В     | 2.20                            | 2.56               | 580                   | 555               |
| С     | 2.45                            | 2.55               | 655                   | 565               |

A scientist thinks that alloy **C** is best for making an aircraft.

Is she correct?


|          |       |         |        |           | _    | 4.1 |        |
|----------|-------|---------|--------|-----------|------|-----|--------|
| -vnlain  | VALIE | ancwar  | LICIDA | AVIIdanca | trom | tho | table  |
| _xinaiii | vou   | allovel | usinu  | evidence  | поп  | HIC | Iaure. |
| _, .,    | ,     |         | J. J   |           |      |     |        |


.....

.....[2]

(c) The scientist uses the particle model to show the elements present in alloy **B**.

Look at her diagram.





not to scale

(i) Calculate the percentage of lithium atoms in the diagram of alloy B.

Percentage of lithium atoms = ..... % [1]

| (ii) Use<br>allo | your answer to part <b>(c)(i)</b> to explain if the diagram accurately shows the structure on <b>B</b> . | of |
|------------------|--|----|
|                  |  |    |
|                  |  |    |
|                  | [1   | ]  |

| 23 | A new sun cream | has been de | veloped using | zinc oxide | nanoparticles. |
|----|-----------------|-------------|---------------|------------|----------------|
|----|-----------------|-------------|---------------|------------|----------------|

The small particles provide better protection from the sun and they do not leave white marks on the skin.

| (a) | Explain <b>one</b> possible risk of using nanoparticles in sun cream. |
|-----|---|
|     |   |

.....[1]

(b) A cube-shaped nanoparticle has sides of length 50 nm.



Calculate the surface area to volume ratio for this nanoparticle.

Use the equation: ratio = surface area ÷ volume

Surface area to volume ratio = ......[4]

(c) (i) Scientists compare the size of nanoparticles to the sizes of other small objects.Look at the table.

| Object                  | Diameter (nm) |
|-------------------------|---------------|
| Gold atom               | 0.14          |
| Water molecule          | 0.27          |
| DNA strand              | 2.5           |
| Zinc oxide nanoparticle | 32            |
| Red blood cell          | 7000          |
| Human hair              | 100 000       |

|      | The diameter of a DNA strand is 2.5 nm.  |     |
|------|--|-----|
|      | Explain why DNA is a nanoparticle but a water molecule is <b>not</b> a nanoparticle. |     |
|      |  |     |
|      |  |     |
|      |  | [2] |
| (ii) | Calculate how many zinc oxide nanoparticles would fit across a human hair.           |     |
|      | Give your answer to 2 significant figures.   |     |

Number of nanoparticles = ......[2]

**END OF QUESTION PAPER** 

# 26

# **ADDITIONAL ANSWER SPACE**

| If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s). |         |  |  |  |  |
|---|---------|--|--|--|--|
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   |         |  |  |  |  |
|   | <u></u> |  |  |  |  |
|   |         |  |  |  |  |

| ••••• |  |
|-------|--|
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
| ••••• |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |
|       |  |

|      | -   |
|------|-----|
| <br> |     |
|      |     |
|      | • • |
| <br> |     |
|      |     |
| <br> | • • |
|      |     |
|      |     |
|      | • • |
|      |     |
|      | ••  |
|      |     |
|      |     |
|      | • • |
| <br> |     |
|      |     |
| <br> | • • |
| <br> |     |
|      |     |
| <br> | • • |
|      |     |
|      |     |
|      | ٠.  |
|      |     |
|      | ••  |
| <br> |     |
|      |     |
|      | • • |
|      |     |
|      |     |
| <br> | • • |
| <br> |     |



#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.