

GCSE (9–1)

H

**Combined Science B (Twenty First Century
Science)**

J260/06: Chemistry (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Subject-specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science B:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

Question			Answer	Marks	AO element	Guidance															
1	(a)	(i)	Empirical Formulae = C_3H_8 AND C_2H_5 ✓ Molecular Formula = C_6H_{14} ✓ Structural Formula = ✓ <pre> H H H H H H H - C - C - C - C - C - C - H H H H H H H </pre>	3	2.2	All bonds must be shown															
		(ii)	<table border="1"> <thead> <tr> <th></th> <th>True</th> <th>False</th> </tr> </thead> <tbody> <tr> <td>It shows the simplest ratio of atoms in a molecule.</td> <td></td> <td>✓</td> </tr> <tr> <td>It shows how many atoms are in a molecule.</td> <td>✓</td> <td></td> </tr> <tr> <td>It shows how atoms in a molecule are arranged.</td> <td>✓</td> <td></td> </tr> <tr> <td>It shows the molecule in 3D.</td> <td></td> <td>✓</td> </tr> </tbody> </table>		True	False	It shows the simplest ratio of atoms in a molecule.		✓	It shows how many atoms are in a molecule.	✓		It shows how atoms in a molecule are arranged.	✓		It shows the molecule in 3D.		✓	2	1.1	4 correct = two marks 3 or 2 correct = one mark 1 or 0 correct = zero marks
	True	False																			
It shows the simplest ratio of atoms in a molecule.		✓																			
It shows how many atoms are in a molecule.	✓																				
It shows how atoms in a molecule are arranged.	✓																				
It shows the molecule in 3D.		✓																			
	(b)	(i)	60 to 100°C ✓ (actual value 69°C)	1	3.2b																
		(ii)	The values go up and down ✓	1	3.2a	ALLOW fluctuate/ not regular/not flowing in a steady correlation/no trend IGNORE does not change/does not vary															
		(iii)	Liquid ✓ Above melting point AND below boiling point ✓	2	3.2b	ALLOW between melting point and boiling point IGNORE melting point and boiling point quoted without reference to above/below/between etc.															

		(iv)	Any two from: Boiling points increase as number of carbons increases/Molecules get bigger ✓ Intermolecular forces get stronger / more intermolecular forces ✓ More energy needed to separate the molecules ✓	2	2.1	IGNORE boiling points increase down the table. IGNORE bonds if not clear that bonds are intermolecular. DO NOT ALLOW stronger intermolecular if between atoms/elements ALLOW more energy to break intermolecular forces DO NOT ALLOW more energy to break it down
--	--	------	--	---	-----	--

Question			Answer	Marks	AO element	Guidance
2	(a)	(i)	Their diameters are between 1 to 100nm <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	1	1.1	
		(ii)	Bonds between carbon atoms are strong. Lots of bonds must be broken to break the tube. <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	2	1.1	
		(iii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 2500(mm) award 3 marks 2nm = 2×10^{-6} mm ✓ $0.001 \div 2 \times 10^{-6} = 500$ ✓ $500 \times 5 = 2500$ (mm) ✓	3	1.2 2.2x2	
	(b)		Benefit get to where it's needed / less harm to rest of body ✓ Risk possible side effects/ long term effects not known ✓	2	2.1	ALLOW keeps medicine in one place/non-invasive method/more effective/smaller doses needed/acts as a vector (for the drug) ALLOW not enough research/body may reject it/get lost inside body IGNORE references to infection, named side effects/ new science/ expensive

Question		Answer	Marks	AO element	Guidance
3	(a)	<p>Any two from:</p> <p>Solid forms ✓ goes cloudy ✓ sulfur forms ✓</p>	2	2.2	ALLOW misty/no longer transparent/no longer clear
	(b) (i)	Burette/pipette/measuring cylinder ✓	1	3.3a	ALLOW syringe
	(ii)	<p>So (total) volume is the same ✓ concentration of sodium thiosulfate kept constant ✓</p>	2	3.3a	<p>ALLOW more water lowers concentration of <u>acid</u> ORA IGNORE affects the concentration of the acid without linking amount of water with effect on concentration IGNORE reference to solution without specifying acid or sodium thiosulfate.</p>
	(iii)	<p>As concentration of acid increases rate of reaction increases ✓</p> <p>Particles/ions closer together / more particles in same volume ORA ✓</p> <p>more collisions in same time / more frequent collisions ✓</p>	3	<p>3.1b</p> <p>1.2x2</p>	<p>IGNORE as concentration increases the time taken decreases/more acid has faster rate</p> <p>ALLOW molecules/atoms for particles DO NOT ALLOW references to increased energy of particles IGNORE more particles, unqualified.</p> <p>IGNORE more likely to collide.</p>

Question		Answer	Marks	AO element	Guidance
4	(a)	Evaporation ✓ Faster (at higher temperature) ✓	2	2.2	ALLOW quickly IGNORE easier
	(b) (i)	add water ✓ filter and collect filtrate ✓ leave to crystallise AND dry / evaporate off the water ✓ weigh salt produced ✓	4	2.2	IGNORE make a solution alone ALLOW filter to remove the sand (from solution) IGNORE 'find amount' without reference to mass/weighing IGNORE find mass if no attempt at method of separation
	(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 25.1 (%) award 3 marks $(1.36 \div 5.42) \times 100$ ✓ $= 25.09225$ ✓ $= 25.1 (\%)$ <u>3 significant figures</u> ✓	3	2.2x2 1.2	ALLOW one mark for 3SF provided it has been produced correctly from an incorrect calculation.

Question		Answer	Marks	AO element	Guidance
5	(a)	Similarity – all have 1 (electron) in outer shell/same number (of electrons) in outer shell/all have 2 (electrons) in 1 st shell ✓ Difference – different number of shells ✓	2	1.1	IGNORE have different number of electrons
	(b)	Small number of electrons in outer shell ✓ lose electrons / form positive ions ✓	2	1.1	
	(c) (i)	hydrogen ✓ lithium hydroxide ✓	2	2.1	ALLOW correct formulae if no name given. IGNORE incorrect formulae
	(ii)	Any two from: fizz/effervesce/bubbles ✓ (Indicator) turns blue/purple ✓ Lithium gets smaller ✓	2	2.2	IGNORE gas formed IGNORE starting colour of indicator/unspecified colour ALLOW disappears IGNORE dissolves
	(iii)	more reactive down the group ORA ✓ faster fizzing/sodium darts around/potassium has flame ✓	2	1.2	ALLOW more violent/ more vigorous down group IGNORE reference to other Group 1 metals

Question		Answer	Marks	AO element	Guidance
6	(a)*	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p>Level 3 (5–6 marks) Describes reactions in the engine AND reactions in the converter AND Refers to data in the table to describe the changes in emissions.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) Describes reactions in the engine AND reactions in the converter</p> <p>OR</p> <p>Describes the reactions in the engine AND Refers to data in the table to describe the changes in emissions</p> <p>OR</p> <p>Describes the reactions in the converter AND Refers to data in the table to describe the changes in emissions <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p>	6	1.1 x 4 3.1 x 2	<p>AO1.1 Demonstrates knowledge and understanding of reactions in converter and engine Reactions in converter:</p> <ul style="list-style-type: none"> • CO turned to CO₂ • NO turned to N₂ • $2\text{CO} + 2\text{NO} \rightarrow 2\text{CO}_2 + \text{N}_2$ <p>Reactions in engine:</p> <ul style="list-style-type: none"> • CO by incomplete combustion of hydrocarbons • NO from nitrogen and oxygen from the air • NO at high temperatures in engine • $\text{N}_2 + \text{O}_2 \rightarrow 2\text{NO}$ <p>AO3.1a Analyse information and ideas to interpret the data in the table Changes in emissions:</p> <ul style="list-style-type: none"> • both increase until 1990 • both decrease after 1990 • increase as number of cars increases • decrease after catalytic converters introduced • bigger decrease for CO than NO • reference to data • overall decrease from 1980 to 2015

Question	Answer	Marks	AO element	Guidance
	<p>Level 1 (1–2 marks) Describes the reactions in the engine OR Describes reactions in the converter OR Refers to data in the table to describe the changes in emissions</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p>			
(b)	<p>Modern cars have gas scrubbers fitted.</p> <p>Modern petrol contains less sulfur.</p> <p>Sulfur dioxide forms when sulfur gas reacts with oxygen.</p> <p>Sulfur dioxide forms when sulfur compounds burn.</p> <p>Sulfur dioxide formed in the catalytic converter.</p> <p>The catalytic converter absorbs solid sulfur.</p>	2	1.1x2	

Question		Answer	Marks	AO element	Guidance
7	(a)	$2\text{H}_2\text{O}_2 \rightarrow \text{O}_2 + 2\text{H}_2\text{O}$ Formulae correct ✓ Balancing correct ✓	2	2.2	IGNORE inclusion of enzyme ALLOW multiples DO NOT ALLOW balancing of incorrect formulae
	(b) (i)	Any two from: volume of peroxide / solution ✓ concentration of peroxide / solution ✓ amount of enzyme ✓ particle size of enzyme ✓	2	1.2	ALLOW same amount of peroxide DO NOT ALLOW concentration of enzyme DO NOT ALLOW references to temperature/time IGNORE references to pH
	(ii)	Any two from: increase concentration of hydrogen peroxide solution ✓ smaller particle size of enzyme ✓ larger amount of enzyme ✓ use best pH for enzyme ✓	2	3.3b	
	(c) (i)	particles move faster/have more energy ✓ more have activation energy/ more collisions have enough energy for reaction/ more successful collisions ✓	2	1.1	IGNORE particles vibrate faster ALLOW molecules for particles
	(ii)	(Rate increases) then rate decreases as temperature increase / idea of reaching a peak ✓ Enzyme is denatured/ broken down ✓ Fewer active sites/ higher activation energy / fewer successful collisions ✓	3	2.2 1.2x2	DO NOT ALLOW temperature increases then decreases ALLOW no catalyst present.
	(iii)	42(°C) ✓	1	2.2	

Question			Answer	Marks	AO element	Guidance
8	(a)	(i)	Reduction ✓	1	1.1	ALLOW oxygen has been lost ALLOW zinc displaced IGNORE it has been displaced DO NOT ALLOW zinc is lost
		(ii)	No oxygen present ✓ So zinc does not react (to form zinc oxide) ✓ OR Oxygen in air ✓ Zinc would react (to form zinc oxide) ✓	2	2.1	
		(iii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 8(.03) (tonnes) award 3 marks (65.4+16=) 81.4 ✓ (10 ÷ 81.4) = 0.123 ✓ x 65.4 = 8(.03)(tonnes) ✓	3	2.2	ALLOW use of 65 instead of 65.4 for relative atomic mass of zinc to get 81 instead of 81.4 and then consequentially for other marks.
	(b)	(i)	Electrolysis ✓	1	1.1	ALLOW description of electrolysis
		(ii)	aluminium more reactive than carbon/it ✓ zinc less reactive than carbon/it ✓	2	2.2	ALLOW references to reactivity series
	(c)		Any three from: Choose suitable plants tolerant to lead ✓ Planted (on waste heap) ✓ Plants remove lead ✓ Plants removed from site / lead removed from plants ✓	3	1.1	

Question		Answer	Marks	AO element	Guidance
9	(a)	Activation energy high/not enough particles have enough energy to react ✓ Firelighter supplies energy (to particles so react) ✓ Heat from reaction supplies energy to more charcoal / particles ✓	3	1.1	ALLOW for two marks, firelighter supplies enough energy for charcoal to react/ overcome activation energy
	(b)	Reactants (on left) and products (on right) labelled and with products below reactants ✓ profile drawn up and down from reactants to products ✓ activation enthalpy labelled between the level of reactants and level of peak ✓ energy of reaction labelled with arrow pointing from reactants to products ✓	4	1.1 x 4	e.g.
	(c)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = (-)286 (kJ) award 4 marks $2 \times 1077 + 495 = 2649$ ✓ $4 \times 805 = 3220$ ✓ $2649 - 3220 = (-)571$ ✓ $\div 2 = (-)286(\text{kJ})$ <u>3 significant figures</u> ✓	4	2.2x3 1.2	

Question		Answer				Marks	AO element	Guidance
10	(a)	A ✓				1	2.2	
	(b)		covalent	ionic	metallic	2	3.2b	4 correct = two marks 3 or 2 correct = one mark 1 or 0 correct = zero marks
		A		✓				
		B			✓			
		C	✓					
		D	✓					
	(c)	Any three from: Metals conduct when solid and ionic do not ✓ Ionic conducts by moving ions ✓ Metal conducts by moving electrons ✓ Ions cannot move in solid but electrons can ✓				3	1.1x3	ALLOW delocalised electrons/sea of electrons for moving electrons

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

