

F

# Friday 19 November 2021 – Morning GCSE (9–1) Chemistry B (Twenty First Century Science)

**J258/01** Breadth in Chemistry (Foundation Tier)

Time allowed: 1 hour 45 minutes

#### You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Chemistry B (inside this document)

#### You can use:

- · an HB pencil
- · a scientific or graphical calculator



Please write clearly in black ink	Do not write in the barcodes.	
Centre number	Candidate number	
First name(s)		 
Last name		

#### **INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

## **INFORMATION**

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [ ].
- This document has 32 pages.

#### **ADVICE**

· Read each question carefully before you start your answer.



### Answer all the questions.

1 In the early nineteenth century, a chemist called Dobereiner found sets of three elements with similar properties.

Table 1.1 shows an example:

Element	Relative atomic mass
Lithium	6.9
Sodium	23.0
Potassium	39.1

Table 1.1

(a)	State the Group number of lithium, sodium and potassium in the modern Periodic Table.
	Group number[1]

(b) Which statements about lithium, sodium and potassium are true and which are false?Tick (✓) one box in each row.

Statement	True	False
They all react with water.		
Lithium is the most reactive.		
They all react with chlorine.		
They are all metals.		

[2]

(c) (i) The elements nitrogen, phosphorus and arsenic have similar properties.

Complete **Table 1.2** by adding the symbols for these three elements.

	Element	Symbol	Relative atomic mass
1	Nitrogen		14.0
2	Phosphorus		31.0
3	Arsenic		74.9

Table 1.2

	(ii)	Dobereiner called his sets of three elements 'triads'. He had this idea:	
		'The relative atomic mass of element 2 is approximately equal to the mean of the o two elements.'	ther
		Do the elements in <b>Table 1.2</b> fit Dobereiner's idea?	
		Yes	
		No	
		Use a calculation to help explain your answer.	
			. [2]
(d)	Mer	ndeleev arranged the elements in order of their relative atomic masses.	
	Mer	ndeleev's work was peer reviewed.	
	Des	scribe the peer review process.	
			. [2]

2 Water evaporates from lakes and oceans. It forms clouds of gaseous water.

In the right conditions the water falls as rain, as shown by the equation:

$$H_2O(g) \rightarrow H_2O(I)$$

(a) Which two processes does this equation show?

Tick (✓) <b>two</b> boxes.
Condensation

Chemical change

Evaporation

Physical change

Melting

Combustion

[2]

(b) Fig. 2.1 represents the three states of matter: solid, liquid and gas.

(i) Write the word for the correct state under each model.




Fig. 2.1


	(ii) Fig. 2.2 show	s a molecule of oxyg	gen, O <sub>2</sub> .	
	0=0			
	Fig. 2.2			
	Draw a simila	r diagram to show a	molecule of water, H <sub>2</sub> O.	
				[1]
(c)	The table shows th	ne percentage of nitr	ogen and carbon dioxide in air:	
	Gas	Percentage (%)		
	Nitrogen	78		
	Carbon dioxide	0.04		

(i) Calculate how many times more nitrogen there is than carbon dioxide in air.

..... times more nitrogen than carbon dioxide [2]

(ii) Oxygen is 21% of air.

Plot the data for oxygen on the bar chart.



(iii) Draw lines to connect each gas with its correct property.

Gas	Property
	Unreactive.
Group 0 (inert gases)	Relights a glowing splint.
Carbon dioxide	Turns limewater milky.
Oxygen	Turns litmus blue.

[3]

[1]


# 7 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

3 Plastic bags are made of poly(ethene).

Poly(ethene) is made by polymerisation of ethene.

(a) Complete the diagram to show the polymerisation of ethene,  $\mathrm{C_2H_4}$ .



[2]

(b) Ethene,  $\rm C_2H_4$ , is made by cracking molecules such as decane,  $\rm C_{10}H_{22}$ .

Complete the symbol equation for this reaction.

$$C_{10}H_{22} \rightarrow C_2H_4 + \dots$$
 [1]

(c) The table shows the energy required to make 1000 poly(ethene) bags and transport them to shops:

	Energy per 1000 bags (kJ)
Energy required to make the raw materials	279 000
Energy required to process the raw materials to make the bags	220 000
Energy required to transport the bags	11 000

(i) Calculate the total energy required **per bag**.

Use data from the table.

Total energy required per bag = ......kJ [2]

	(ii)	Calculate the percentage of the energy in the table required to make the raw materials for 1000 bags.
		Give your answer to 2 significant figures.
		Percentage = % [3]
(d)	Son	ne plastic materials are described as 'biodegradable'.
	Wha	at does 'biodegradable' mean?
		[1]

4 Amaya is given some coloured sweets.

(ii)


She uses chromatography to find out the number of dyes in each sweet.

(a) (i) Amaya starts by drawing a line on a piece of filter paper using ink.

Describe <b>one</b> way in which Amaya can improve this part of her method.
[1]
Give one reason for your answer to (a)(i).
[1]

(b) Sundip repeats the experiment, improving on Amaya's method.

Her results are shown in the chromatogram:



B = blue
R = red
Y = yellow
G = green

	(i)	Each sweet co	ntains a mixture of dy	es.		
		How many diffe	erent dyes are there i	n all of the sweets th	at Sundip has used?	?
		Use the chrom	atogram.			
			Total number of diffe	rent dyes =		[1]
	(ii)	Which dye is the	ne <b>least</b> soluble in the	e solvent?		
						[1]
	(iii)		on for your answer to			
	(iv)	1	nce moved by dye moved by solvent from	•		
		R <sub>f</sub> = distance r	moved by solvent fror	īt		
		Which dye has	the largest R <sub>f</sub> value?	•		
(c)		nas a mixture of	carbon and copper s	ulfate crystals. Carbo	on is insoluble in wa	ter.
		tals from the m				<b>,</b>
	Use	the words.				
	You	can use each v	vord once, more than	once, or not at all.		
	Cry	stallization	Dissolving	Distillation	Heating	
	1					
	2	Filtration				
	3					
	4					[3]

5 Chemists use models to describe things that are too small to be seen.

Fig. 5.1 shows an atomic model proposed by a scientist over 100 years ago:




Fig. 5.1

Use the words.

(a) Which scientist suggested the atomic model in Fig. 5.1?

Put a (ring) around the correct answer.

	Dalton	Thomson	Rutherford	Bohr	[1]
(b)	The modern m	nodel of the atom is	different from the mo	odel in <b>Fig. 5.1</b> .	
	Complete the	sentences about th	ne modern model of th	ne atom.	

You can use each word once, more than once, or not at all.

electrons	ions	neutrons	nucleus	protons		
The centre of the a	atom is called	the				
This is made up of positively charged and						
neutral						
The	are	e negatively charge	ed.			
n a neutral atom, there are equal numbers of						
and						

[3]

(c) Fig. 5.2 shows a model of an ethanol molecule and a methane molecule:





Fig. 5.2

(i)	The formula of methane is CH <sub>4</sub> .		
	What is the formula of ethanol?		
	Use Fig. 5.2 to help you.		
			[1]
(ii)	Which <b>two</b> statements do the models in Fi	g. 5.2 accurately show?	
	Tick (✓) two boxes.		
	The number of electrons in each atom.		
	The number of atoms in each molecule.		
	The 3D shape of each molecule.		
	The actual size of the atoms.		r01
			[2]

(d) Fig. 5.3 shows models of four types of giant structure.



[2]

# 15 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

6 Blue copper sulfate crystals turn white when heated:

'blue copper sulfate'  $\rightarrow$  'white copper sulfate' + water

- Kai weighs out five different samples of 'blue copper sulfate'.
- He puts each sample in a test tube.
- He heats each test tube.
- He weighs each test tube and its contents after heating.
- He then calculates the mass of 'white copper sulfate'.
- (a) Fig. 6.1 shows a graph of his results:




Fig. 6.1

One result does **not** fit the pattern.

- (i) Put a (ring) around the result that does not fit the pattern in Fig. 6.1. [1]
- (ii) Kai thinks he made a mistake when he was heating the 'blue copper sulfate' for this result.

Suggest the mistake Kai made.		
	 	[1]

Mass of

at end (g)

(b)	Calculate the mass of 'white copper sulfate' that is made when 2.0 g of 'blue copper sulfate' is heated.				
	Use the equation: mass of 'white copper sulfate' × 1.5625 = mass of 'blue copper sulfate'  Mass of 'white copper sulfate' =				
(c)	Jane and Kai discuss the results:				
	The test tube and its contents loses mass when it's heated.  I think the total mass stays the same.  Kai				
	Explain why Jane and Kai are <b>both</b> correct.				
	Jane				
	Kai				
	[2]				
(d)	100 g of 'blue copper sulfate' gives 64 g of 'white copper sulfate'.				
	'blue copper sulfate' → 'white copper sulfate' + water				
	Calculate the mass of water that is formed.				

Mass of water = ...... g [1]

(e)	Jan	e tests v	vhether this reaction is reversible:					
	ʻblu	e coppe	copper sulfate' → 'white copper sulfate' + water					
			ater to 'white copper sulfate' in a test tube. rns blue and the test tube gets hot.					
	(i)	Does h	er observation show that the reaction is reversible?					
		Yes						
		No						
		Explain	your answer.					
			[1]					
	(ii)	What n	ame is given to a reaction that gives out heat?					
			[1]					
	(iii)	Draw <b>one</b> line to show the energy level of 'blue copper sulfate' on the reaction profile in <b>Fig. 6.2</b> .						
		Label y	our line 'blue copper sulfate'.					
		<b>A</b>						
	Er	nergy	Subite compare sulfate? Lucator					
			'white copper sulfate' + water					
		L	Progress of the reaction					

Fig. 6.2

[1]

# 19 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

7 Crude oil contains many compounds that are used as fuels.

The table shows some of these compounds:

(a) Which word describes crude oil?

Name	Formula	Relative formula mass	Boiling point (°C)
Methane	CH <sub>4</sub>		-162
Butane	C <sub>4</sub> H <sub>10</sub>	58	<b>–</b> 1
Benzene	C <sub>6</sub> H <sub>6</sub>	78	80
Octane	C <sub>8</sub> H <sub>18</sub>	114	126
Hexadecane	C <sub>16</sub> H <sub>34</sub>	226	287

	Put a (ring) around the correct answer.					
	Che	emical	Compound	Element	Mixture	[1]
(b)	(i)	Name the two	compounds ir	the table that are	e gases at 25°C.	
		Compound 1				
		Compound 2				[1]
	(ii)		answer to (b)(i)			
						[1]
(c)	Cald	culate the relat	ive formula ma	ss of methane.		
	Use	the Data Shee	et.			
			Relati	ve formula mass	=	[1]
(d)		cribe the relatine table.	onship betweer	n relative formula	mass and boiling <sub>l</sub>	point for the compounds
						[41


(e) Benzene has six carbon atoms but is **not** an alkane.

Alkanes have the general formula  $C_nH_{2n+2}$ .

Give the formula of the alkane with **six** carbon atoms.

.....[1]

(f) The graph shows the boiling point and the number of carbon atoms for some alkanes.



(i) Hexadecane has 16 carbon atoms. The boiling point of hexadecane is 287 °C.

Plot the point for hexadecane on the graph.

[1]

(ii) Draw a line of best fit.

[1]

(iii) Estimate the boiling point of the alkane with the formula  $C_{12}H_{26}$ .

Show your working on the graph.

Boiling point = ..... °C [1]

(g)	Fra	Fractional distillation is used to separate the compounds in crude oil.					
	Whi	ich property is used to separate compounds in fractional distillation?					
	Tick	x (✓) one box.					
	Boil	ing point					
	Der	nsity					
	For	mula					
	Mel	ting point	[1]				
(h)	(i)	The formula for butane is $C_4H_{10}$ .					
		Draw the displayed formula for butane.					
			F43				
	(ii)	What is the <b>simplest</b> ratio of carbon atoms to hydrogen atoms in butane?	[1]				
		Ratio of carbon atoms : hydrogen atoms =: :	[1]				
	(iii)	State the empirical formula of butane.					
		Empirical formula =	[1]				

# 23 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

How does chlorine make water safe to drink?	
James has a solution of chlorine in water.	
He tests the solution with <b>blue</b> litmus paper.	
State <b>two</b> colour changes that James will see.	
1	
2	[2]
Mia adds a solution of chlorine to a solution of sodium bromide.	
This is the equation for the reaction that happens:	
$Cl_2(aq) + 2NaBr(aq) \rightarrow Br_2(aq) + 2NaCl(aq)$	
The solution changes colour.	
(i) State the colour of the solution at the end of the experiment.	
	. [1]
(ii) What causes the colour change?	
	. [1]
Potassium reacts with chlorine. Sodium also reacts with chlorine.	
Is the reaction of sodium with chlorine <b>faster</b> or <b>slower</b> than the reaction of potassium chlorine?	with
Faster	
Slower	
Explain why the rate of reaction is different.	
	He tests the solution with <b>blue</b> litmus paper.  State <b>two</b> colour changes that James will see.  1

(e)	Calcium also reacts with chlorine. Calcium forms $Ca^{2+}$ ions and chlorine forms $Cl^-$ ions.						
	What is the co	orrect formula of	calcium chlori	de?			
	Put a ring a	round the correc	t answer.				
	CaC1	Ca <sub>2</sub> Cl <sub>2</sub>	CaCl <sub>2</sub>	C1Ca <sub>2</sub>	C <i>I</i> Ca	[1]	
(f)		astatine, At, is b		·	ne Periodic Table.	.,,	
	Tick (✓) two	boxes.					
	It reacts with	Na <sup>+</sup> ions to form	ı NaAt <sub>2</sub> .				
	Its atoms are	larger than aton	ns of iodine.				
	It is a solid at	room temperatu	ıre.				
	It is colourles	S.					
	It reacts with	sodium iodide ir	solution to giv	e iodine.		[2]	

9 Alex reacts zinc with excess hydrochloric acid.

Fig. 9.1 shows the apparatus Alex uses:




Fig. 9.1

(a) Alex measures the volume of gas made at the start and then again after every minute for 7 minutes.

Fig. 9.2 shows a graph of his results:




Fig. 9.2

(i) What is the gradient of the curve at 5 minutes?

	Gradient =	cm <sup>3</sup> /minute [1]
ii)	What happens to the reaction after 5 minutes?	
		[11

(b)	) Which value is a correct estimate for the rate at which the reaction starts?				
	Use <b>Fig. 9.2</b> .				
	Tick (✓) one box.				
	0.08 cm <sup>3</sup> /minute				
	0.1 cm <sup>3</sup> /minute				
	10 cm <sup>3</sup> /minute				
	14 cm <sup>3</sup> /minute				
	40 cm <sup>3</sup> /minute	[1]			
(c)	2.0 g of zinc makes a total of 800 cm <sup>3</sup> of gas.				
	Calculate the mass of zinc Alex used in his experiment.				
	Use the total volume of gas produced in Fig. 9.2.				
	Manage of mine				
	Mass of zinc = g [	2]			
(d)	Alex repeats the experiment with different metals and excess acid.  He wants to compare the rate of reaction for the different metals.				
	State <b>two</b> factors that he should control in these experiments to get valid results.				
	1				
	2				
		2]			

(e) Fig. 9.3 shows Alex's results for zinc, magnesium and iron:




Fig. 9.3

Which metal makes each curve in Fig. 9.3?

Curve **A** .....

Curve **B** .....

Curve **C** .....

[2]

## **END OF QUESTION PAPER**

## **ADDITIONAL ANSWER SPACE**

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).					
•••••					



 .1	 



#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.