

F

Friday 27 May 2022 – Morning

GCSE (9–1) Combined Science (Chemistry) A (Gateway Science)

J250/03 Paper 3 (Foundation Tier)

Time allowed: 1 hour 10 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Combined Science (Chemistry) A (inside this document)

You can use:

- · a scientific or graphical calculator
- an HB pencil



Please write clearly in black ink. Do not write in the barcodes.							
Centre number				Candidate number			
First name(s)							
Last name							

INSTRUCTIONS


- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is 60.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 24 pages.

ADVICE

· Read each question carefully before you start your answer.



SECTION A


Answer **all** the questions.

You should spend a maximum of 20 minutes on this section.

Write your answer to each question in the box provided.

1 A black ink is a mixture of different colours.

The diagram shows how the colours in the black ink can be separated.



What is the name of this method of separation?

- **A** Chromatography
- **B** Crystallisation
- **C** Distillation
- **D** Filtration

- 2 What is the test for oxygen gas?
 - **A** It goes 'pop' when lit.
 - **B** It relights a glowing splint.
 - **C** It turns damp red litmus paper blue.
 - **D** It turns limewater cloudy.

Your answer	[1]
our answer	[1]

3 The table shows the start and end temperatures of four different reactions.

Reaction	Start temperature (°C)	End temperature (°C)		
Α	-3	9		
В	14	37		
С	20	16		
D	23	23		

Which reaction is endothermic?

	You	ur answer	[1]
4	Whi	ich particles in an aqueous solution of sodium hydroxide, NaOH(aq), make it alkaline?	
	Α	H ⁺	
	В	H_2O	
	С	OH-	
	D	Na⁺	
	You	ur answer	[1]

5 The table shows the colours of universal indicator in solutions of different pH.

рН	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Colour	lour red orang		nge	yel	low	green		bl	ue			purple		


A sample of water has a pH of 7. A small amount of dilute hydrochloric acid is added to the water.

Which colour does universal indicator turn in this solution?

- A Blue
- **B** Green
- **C** Orange
- **D** Purple

Your answer [1]

6 The diagram shows the electrolysis of molten copper chloride, $CuCl_2$.




Chlorine is formed at electrode **X** and copper is formed at electrode **Y**.

Which row in the table describes electrodes X and Y?

	Electrode X	Electrode Y
Α	anode	cathode
В	anion	cation
С	cathode	anode
D	cation	anion

Your answer [1]

7 The diagram shows the reaction profile for a reaction.



Which row represents the activation energy and the energy change for the reaction?

	Activation energy	Energy change
Α	X	Υ
В	X	Z
С	Z	X
D	Z	Y

Your answer	[1]
	(

- 8 Which particles in a metal allow it to conduct electricity?
 - **A** Atoms
 - **B** Electrons
 - C lons
 - **D** Protons



9	A m	nolecule of glucose has the molecular formula $C_6H_{12}O_6$.	
	Wha	at is the empirical formula of glucose?	
	Α	СНО	
	В	CH ₂ O	
	С	$C_6H_{12}O_6$	
	D	(CO ₆)H ₁₂	
	You	ur answer	[1]
10	The	e equation shows the reaction between carbon dioxide, CO ₂ , and hydrogen, H ₂ .	
	CO	$v_2 + H_2 \rightarrow CO + H_2O$	
	Wha	at is the oxidising agent in the reaction?	
	Α	СО	
	В	CO ₂	
	С	H_2	
	D	H ₂ O	
	You	ur answer	[1]

7 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE


SECTION B

Answer **all** the questions.

11 Nitrogen dioxide, NO₂, is formed when nitrogen, N₂, reacts with oxygen, O₂.

Fig. 11.1 shows the particle model diagram for the formation of nitrogen dioxide.

Fig. 11.1



(a) Complete each sentence to describe the formation of nitrogen dioxide.

Use the words or phrases in the list.

break apart
change of state
chemical change
dissolve
freeze
join together
physical change

The molecules of nitrogen and oxygen

The atoms then to form nitrogen dioxide.

This is called a

[3]

(b) The equation shows the formation of nitrogen dioxide.

$$N_2 + \dots NO_2 \rightarrow \dots NO_2$$

Complete the **balanced symbol** equation for the reaction. Use **Fig. 11.1**.

[1]

(c) The table shows the melting point and boiling point of pure nitrogen dioxide.

Melting point (°C)	Boiling point (°C)
-9	21

(i) Which state symbol shows the physical state of nitrogen dioxide at -2°C?

Tick (✓) one box.

~	
u	
v	

I



S	

[1]

(ii) A scientist measures the melting point of a sample of nitrogen dioxide.

The result shows that the sample of nitrogen dioxide is impure.

Which temperature could be the melting point of the impure nitrogen dioxide?

Tick (✓) one box.

[1]

(d) A molecule of nitrogen dioxide has the formula NO₂.

Calculate the **relative formula mass** for nitrogen dioxide.

Relative atomic mass (A_r) : N = 14.0 O = 16.0

Relative formula mass =[2]

(e) Nitrogen dioxide is made from the reaction of nitrogen with oxygen.


Fig. 11.2 shows the bonding in a molecule of oxygen, ${\rm O_2}$.

Fig. 11.2

0 = 0

Fig. 11.3 shows an incomplete dot and cross diagram for oxygen.

Fig. 11.3



Complete Fig. 11.3 to show the arrangement of the electrons in a molecule of oxygen. [2]

12 Atoms are made from protons, neutrons and electrons.

(a) The table shows the relative mass and relative charge of a proton, neutron and electron.

Particle	Relative mass	Relative charge
proton	1	
neutron		0
electron		

Complete the table.

Write your answers in the three boxes in the table.

[3]

(b) The mass of a proton is 1.673×10^{-27} kg.

The mass of an electron is $9.109 \times 10^{-31} \text{kg}$

What is the **relative mass** of an electron compared to a proton?

Tick (✓) one box.

$$1.672 \times 10^{-27}$$

$$1.837 \times 10^3$$

$$5.445 \times 10^{-4}$$

[1]

- (c) An atom of helium contains:
 - 2 protons
 - 2 neutrons
 - 2 electrons.

Draw a **labelled** diagram to show the arrangement of protons, neutrons and electrons in an atom of helium.

[3]

(d) The table shows some information about the atoms of six elements, A to F.

Element	Number of protons	Number of neutrons	Number of electrons	Arrangement of electrons
Α	11	12	11	2, 8, 1
В	10	10	10	2, 8
С	12	12	12	2, 8, 2
D	6	7	6	2, 4
E	19	20	19	2, 8, 8, 1
F	6	6	6	2, 4

Answer the following questions. Choose your answers from the elements **A**, **B**, **C**, **D**, **E** or **F**. Each letter can be used once, more than once or not at all.

(1)	vvnich two elements are in Group 1 of	the Periodic Table?	
	Elements = and		[1]

(iii) Which element has a mass number of 12?

(ii) Which element is in **Period 4** of the Periodic Table?

(iv) Which two elements are isotopes?

(v) Which element forms an ion with a 2+ charge?

(e)	Aluminium forms an Al^{3+} ion and chlorine forms a Cl^- ion.
	Three students write down the formula of aluminium chloride.
	Student A: AlCl
	Student B : AlCl ₃
	Student C: Al ₃ Cl
	Which student is correct?
	Explain your answer.
	Student
	Reason


......[2]

15 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

13 A student investigates how the mass changes as magnesium reacts with excess dilute sulfuric acid.

The diagram shows the apparatus they use.



The student measures the mass every minute for 8 minutes.

Table 13.1 shows their results.

Table 13.1

Time (minutes)	Mass (g)
0	73.0
1	71.5
2	70.5
3	
4	69.6
5	69.4
6	69.3
7	69.3
8	69.3

(a) Complete the table with an estimate of the missing mass at 3 minutes.

Write your answer in the box in **Table 13.1**.

	Mass in experiment 1 Mass in experiment 2 Mass in experim					
	Table 13.2					
	Table 13.2 shows the results of the three experiments at 1 minute.					
(d)	The student repeats the experie	ment three times.				
			[1]			
Explain why the student is correct. Use data from Table 13.1 .						
(c) The student thinks that the results show that all the magnesium had reacted.						
	Use information in Table 13.1 a	and the equation in your answe	r.			
	$Mg(s) + H_2SO_4(aq) \rightarrow MgSO_4(aq) + H_2(g)$ Describe and explain how the mass changes during the reaction.					
(b)	The equation shows the reaction between magnesium, Mg, and dilute sulfuric acid, $\rm H_2SO_4$.					

Mass in experiment 1 (g)	Mass in experiment 2 (g)	Mass in experiment 3 (g)
71.5	71.4	71.8


Calculate the **mean** mass in the three experiments.

Give your answer to 1 decimal place.

Mean mass = g [3]

14* A student wants to produce a **pure dry** sample of the salt **sodium chloride**.

The diagram shows the method they use.



- 1. Measure 10 cm³ of dilute sulfuric acid into a boiling tube.
- 2. Add 2 cm³ of indicator.
- 3. Add sodium hydroxide solution, 2 cm³ at a time, up to 10 cm³ in total.

Describe the mistakes the student has made and how their method could be improved to

4. Filter the solution to remove the sodium chloride.


produce a pure dry sample of sodium chloride.

19 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

- 15 Fullerenes are allotropes of carbon that have many uses.
 - Fig. 15.1 shows a molecule of a fullerene.

Fig. 15.1



(a) (i) Which group of allotropes contain this fullerene?

Tick **one** (✓) box.

Inorganic	
Organic	
Physical	

[1]

(ii) What is the approximate size of a molecule of this fullerene?

Tick **one** (✓) box.

1 × 10 ⁻¹⁵ m	
1 × 10 ⁻¹⁰ m	
1 × 10 ⁻⁵ m	

[1]

(b)	The carbon atoms in fullerenes are joined by covalent bonds.					
	(i)					
					[2]	
(ii) How many covalent bonds does one atom of carbon form in a molecule of fulle shown in Fig. 15.1?						
					[1]	
(c) The model used to show the molecule of fullerene in Fig. 15.1 has limitations.						
	The table shows some statements about the model.					
Which statements about this model are true , and which are false ? Tick (✓) one box in each row.						
		t shows the length of the sovelent hands				


	True	False
It shows the length of the covalent bonds.		
It shows the size of the carbon atoms.		
It shows the three-dimensional shape of the molecule.		

[2]

(d) Fullerenes can be used as lubricants. Lubricants reduce the friction between moving parts.

Fig. 15.2 shows a lubricant being sprayed onto the chain of a motorbike.

Fig. 15.2



(i) Explain why fullerenes can be used as lubricants.

Use ideas about the structure and bonding of the fullerene shown in Fig. 15.1 in your answer.

[2]

ii) A lubricant may need to be used at high temperatures.

Explain why fullerenes can be used at high temperatures.

Use ideas about the structure and bonding of the fullerene shown in Fig. 15.1 in your answer.

.....[3]

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).		



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.