



Rewarding Learning

ADVANCED SUBSIDIARY (AS)
General Certificate of Education
2015

Centre Number

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

Candidate Number

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

Biology

Assessment Unit AS 2
assessing
Organisms and Biodiversity



AB121

[AB121]

WEDNESDAY 17 JUNE, MORNING

TIME

1 hour 30 minutes.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.
Write your answers in the spaces provided in this question paper. There is an extra lined page at the end of the paper if required.
Answer **all eight** questions.
You are provided with **Photographs 2.6A** and **2.6B** for use with **Question 6** in this paper. Do not write your answers on these photographs.

INFORMATION FOR CANDIDATES

The total mark for this paper is 75.
Section A carries 60 marks. Section B carries 15 marks.
Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.
You are reminded of the need for good English and clear presentation in your answers.
Use accurate scientific terminology in all answers.
You should spend approximately **20 minutes** on Section B.
You are expected to answer Section B in continuous prose.
Quality of written communication will be assessed in Section B, and awarded a maximum of 2 marks.

| For Examiner's use only | |
|-------------------------|-------|
| Question Number | Marks |
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |

| | |
|-------------|--|
| Total Marks | |
|-------------|--|

BLANK PAGE

Section A

1 Identify the word or phrase described by each of the following statements, which relate to the mammalian heart.

- The ability of cardiac muscle to contract without stimulation from an external source

- The specialised muscle fibres which convey an impulse down the septum from the atrio-ventricular node

- The structures which prevent the atrio-ventricular valves from turning inside out during ventricular systole

- The valves which close when arterial pressure exceeds ventricular pressure

- The arteries which carry oxygenated blood to the heart muscle itself

[5]

Examiner Only

Marks Remark


2 Red blood cells contain a pigment called haemoglobin which is responsible for the transport of oxygen in the blood.

(a) Describe concisely the structure of a molecule of haemoglobin.

[2]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

The oxygen dissociation curve for human haemoglobin is shown in the graph below.



(b) (i) On the **horizontal axis** of the graph, indicate with an **X** the approximate partial pressure of oxygen in the alveoli. [1]


(ii) Determine the partial pressure of oxygen which results in 50% saturation of haemoglobin with oxygen.

_____ kPa [1]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

The partial pressure of oxygen which results in 50% saturation of haemoglobin in an animal is termed the P_{50} value.

The graph below shows P_{50} values for haemoglobin in a number of different animals.



(c) (i) From the graph, identify which animal's haemoglobin has the lowest affinity for oxygen.

_____ [1]

(ii) Suggest how the low P_{50} value of haemoglobin in the lugworm enables it to live in muddy habitats.

 _____ [1]

(d) Describe **two** factors which promote the dissociation of oxygen from haemoglobin in heavily respiring muscle tissue.

1. _____
 2. _____ [2]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

3 The Common Scoter duck (*Melanitta nigra*) was first found breeding in Lower Lough Erne in 1905. Its numbers increased until the late 1970s but it is now extinct in the lough. The Common Scoter nests close to the lough shore, usually under dense cover. The female incubates the eggs alone for between 27 and 31 days. The ducks feed on small invertebrates.

In the 1960s, roach (*Rutilus rutilus*) was introduced to the lough. The population of this fish increased rapidly so that it currently represents more than 60% of all fish biomass in the lough. Roach also feed on small invertebrates.

Farming of mink (*Neovison vison*) began in the area in the late 1950s. Escaped mink are known to have established wild populations around the lough. Mink are carnivorous mammals which feed on ground-nesting birds and their eggs.

Pollution of the lough increased in the 1970s, causing a reduction in the invertebrate biomass.

Using the information provided and your knowledge, answer the following questions.

(a) State the genus of the Common Scoter.

[1]

(b) (i) The death rate was particularly high in **female** Scoter ducks. Explain why.

_____ [2]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

- 4 The metabolic activity of an organism can be indicated by the cell respiration rate. One way of investigating the cell respiration rate is to measure the oxygen consumed by an organism over a period of time.

The table below shows the cell respiration rates of mammals of different body masses. The cell respiration rate is given as mm^3 of oxygen consumed per gram of body mass per hour.

| Mammal | Typical body mass/kg | Cell respiration rate/ $\text{mm}^3 \text{O}_2 \text{g}^{-1} \text{hr}^{-1}$ |
|----------|----------------------|---|
| Mouse | 0.03 | 1518 |
| Rabbit | 2.2 | 466 |
| Dog | 12 | 318 |
| Human | 70 | 202 |
| Horse | 700 | 106 |
| Elephant | 3800 | 67 |

- (a) Using the information in the table, describe the relationship between body mass and cell respiration rate.

[1]

- (b) Calculate the oxygen consumed in 1 hour by the mouse. (Show your working.)

Answer _____ mm^3 [2]

Examiner Only

Marks Remark

The metabolic activity of an organism is influenced both by its surface area and its volume.

- (c) (i) State how the surface area to volume ratio would differ between the dog and the mouse.

_____ [1]

- (ii) Suggest the relationship between the surface area to volume ratio and cell metabolic activity.

_____ [1]

- (d) In mammals, the uptake of oxygen from the atmosphere and its subsequent delivery to the respiring tissues is facilitated by structures with a large surface area.

Identify **three** ways in which a large surface area is achieved in mammals to enable a high uptake and delivery of oxygen.

1. _____

2. _____

3. _____
_____ [3]

Examiner Only


Marks Remark

| Marks | Remark |
|-------|--------|
| | |

[Turn over

5 Sheltered rocky seashores have distinct zones which result from the extent to which water covers the area during high and low tides.

Zones on a rocky seashore are indicated in the diagram below.



Details of each of the zones A to E are given in the table below.

| Zone | Tidal coverage details | Dominant seaweed species |
|------|--|--------------------------------|
| A | never covered in water but sprayed or splashed with saltwater | no seaweed present |
| B | only covered in water during the highest tides | channelled wrack, spiral wrack |
| C | covered in water during most high tides and exposed to air during most low tides | bladder wrack, egg wrack |
| D | only exposed to air during the lowest tides | saw wrack, thongweed |
| E | never exposed to air | sugar kelp, oarweed |

(a) (i) A student proposes the hypothesis that seaweeds can only obtain their required minerals when covered in seawater. Identify the evidence from the table which supports this hypothesis.

_____ [1]

(ii) Name **one** seaweed species from the table which would be expected to have highly developed adaptations to prevent desiccation (drying out).

_____ [1]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

(b) Explain **one** biotic and **one** abiotic factor which may prevent sugar kelp and oarweed from growing further up the shore than zone **E**.

Biotic _____

Abiotic _____

[2]


(c) Describe a method which could be used to sample a rocky shore in order to determine how the distribution of seaweed species changes from zone **A** to zone **D**. Your answer should include one safety precaution.

_____ [5]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

6 (a) **Photograph 2.6A** shows a transverse section through an artery.

(i) Draw a block diagram of this artery in the box below. Label your diagram to show the tissues found in the wall of the artery.



[4]

(ii) State the function of **one** of the tissues you have labelled in the block diagram.

_____ [1]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

(b) **Photograph 2.6B** shows another artery. The structure labelled **X** is an atheroma.

(i) Suggest the effect of the atheroma on the rate of blood flow in this blood vessel.


[1]

(ii) Describe precisely the sequence of events resulting in the formation of an atheroma.

[3]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

(c) The relationship between the total cross-sectional area of blood vessels and the rate of blood flow is represented in the chart below.



(i) Describe the relationship between rate of blood flow and the total cross-sectional area of blood vessels.

_____ [1]

(ii) Explain **two** reasons why the rate of blood flow decreases from the aorta to the capillaries.

1. _____

2. _____

_____ [2]

(iii) Explain the advantage of this decrease in flow rate with regard to capillary function.

_____ [2]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

- 7 The stomatal density (number of stomata per unit area) found on leaves may be influenced by the plant's habitat.

An investigation was carried out to determine the stomatal density in four different plant species. The number of stomata on 4.5 mm^2 of leaf lower epidermis was counted.

The table below shows the results.

| Species | Number of stomata | Stomatal density/ stomata mm^{-2} |
|---------|-------------------|---|
| A | 26 | 5.78 |
| B | 40 | 8.89 |
| C | 37 | |
| D | 20 | 4.44 |

- (a) (i) Calculate the stomatal density for species C.

_____ stomata mm^{-2} [1]

- (ii) Identify which of the species investigated is most likely to grow in a dry environment. Explain your answer.

_____ [2]

Examiner Only

Marks Remark

(b) (i) Define the term transpiration.

[2]

The leaves of plants growing in dry environments often have microscopic leaf hairs extending from their lower epidermis.

(ii) Explain the advantage of this.

[3]

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

Section B

| Examiner Only | |
|---------------|--------|
| Marks | Remark |
| | |

Quality of written communication is awarded a maximum of 2 marks in this section.

- 8** Directional selection is one of the processes which accounts for the large diversity of organisms on our planet.

Taxonomy is the study of this diversity with the aim of analysing the similarities and differences between organisms, so that they can be classified. Currently, the five kingdom system is the most widely accepted model for classification of organisms.

- (a)** Describe the process of directional selection. [5]

- (b)** Describe the main features of organisms in each of the five kingdoms. [8]


Quality of written communication [2]

- (a)** Describe the process of directional selection.

THIS IS THE END OF THE QUESTION PAPER

Permission to reproduce all copyright material has been applied for.
In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA
will be happy to rectify any omissions of acknowledgement in future if notified.


Photograph 2.6A
(for use with Question 6(a))



(C005/1121)

© Biophoto Associates / Science Photo Library

Photograph 2.6B
(for use with Question 6(b))



Source: National Human Genome Research Institute