



---

GCSE

# Additional Science / Biology

BL2HP

Mark scheme

---

4408 / 4401

June 2015

---

Version: 1.0 Final

---

---

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from [aqa.org.uk](http://aqa.org.uk)

## Information to Examiners

### 1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

### 2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available ‘any **two** from’ is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

### 3. Marking points

#### 3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that ‘right + wrong = wrong’.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as \* in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

### 3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

### 3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column or by each stage of a longer calculation.

### 3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

### 3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

### 3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

### 3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

### 3.8 Ignore / Insufficient / Do **not** allow

Ignore or insufficient are used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

---

## Quality of Written Communication and levels marking

In Question 2 students are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Students will be required to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

### Level 1: basic

- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

### Level 2: clear

- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

### Level 3: detailed

- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

Question	Answers	Extra information	Mark	AO / Spec. Ref.
1(a)(i)	glycerol		1	AO1 2.5.2f
1(a)(ii)	pancreas / <u>small</u> intestine	accept duodenum / ileum ignore intestine unqualified	1	AO1 2.5.2f
1(b)	any <b>two</b> from:  <ul style="list-style-type: none"> <li>• type of milk</li> <li>• volume / amount of milk</li> <li>• vol. bile equals vol. water</li> </ul> <ul style="list-style-type: none"> <li>• volume of lipase</li> <li>• concentration of lipase</li> </ul> <span style="font-size: 2em; vertical-align: middle; margin-left: 10px;">}</span> <ul style="list-style-type: none"> <li>• temperature</li> </ul>	ignore time interval ignore solution unqualified do <b>not</b> allow pH ignore starting pH  ignore volume / amount of bile / water ignore concentration of bile  accept amount of lipase if neither volume nor concentration given	2	AO3 2.5.2f,h
1(c)(i)	<u>fatty</u> acid (production)		1	AO2 2.5.2f,h
1(c)(ii)	<u>faster</u> reaction / digestion (with bile) <b>or</b> pH decreases <u>faster</u> (with bile) <b>or</b> takes less time (with bile) <b>or</b> steeper fall / line (with bile)	allow use of data ignore easier	1	AO3 2.5.2f,h

Question	Answers	Extra information	Mark	AO / Spec. Ref.
1(c)(iii)	all fat / milk digested <b>or</b> same amount of fatty acids present <b>or</b> (lower pH) denatures the enzyme / lipase	allow all reactants used up ignore reference to neutralisation  allow enzyme won't work at low pH do <b>not</b> allow enzyme killed	1	AO2 2.5.2f,h
<b>Total</b>			<b>7</b>	

Question	Answers	Extra information	Mark	AO / Spec. Ref	
2			6	AO1 / AO2 / AO3	
Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 5 and apply a 'best-fit' approach to the marking.				2.4, 2.4.1a,b,prac	
<b>0 marks</b>	<b>Level 1 (1–2 marks)</b>	<b>Level 2 (3–4 marks)</b>	<b>Level 3 (5–6 marks)</b>		
No relevant content.	The apparatus needed to measure the leaf is identified <b>or</b> the apparatus needed to measure light intensity is identified <b>or</b> an appropriate use of the tape measure is identified.	There is a description of a leaf being measured at different locations <b>or</b> light being measured at different locations.	There is a description of a leaf <b>and</b> light being measured at different locations <b>and</b> repetitions are included <b>or</b> a control variable is described <b>or</b> appropriate mathematical treatment of the data is described		
<b>examples of points made in the response:</b> <ul style="list-style-type: none"> <li>• use of tape measure to produce transect</li> <li>• transect placed coming out of shady area (eg woodland) into lighter area</li> <li>• repeat transects</li> <li>• samples at same height above ground</li> <li>• samples at same aspect (N / E / S / W) on trees</li> <li>• measurement of length, or width, of leaves using ruler</li> <li>• measure several leaves at each location</li> <li>• use of light meter to measure light intensity</li> <li>• repeat measurements of light intensity on several days</li> <li>• measure light intensities at same time of day</li> <li>• calculate mean for each location</li> <li>• plot graph of mean leaf length, or width, vs. light intensity</li> </ul>		<b>extra information</b>  allow attempt to overcome other variables – eg soil water / soil pH / temperature			
<b>Total</b>			<b>6</b>		



Question	Answers	Extra information	Mark	AO / Spec. Ref.
<b>3(a)(i)</b>	in the chromosome(s)	ignore genes / alleles	1	AO1
	in the nucleus	allow nuclei allow mitochondria	1	2.7.2f, 2.7.1b
<b>3(a)(ii)</b>	the DNA / chromosomes / genes are replicated / copied / multiplied / doubled / duplicated	allow DNA is cloned ignore same DNA / chromosomes / genes if unqualified	1	AO1 2.7.1a,c,n
<b>3(b)(i)</b>	1 / one		1	AO2 2.7.2c,e, 2.7.3a,c
<b>3(b)(ii)</b>	2 / two		1	AO2 2.7.2c,d, 2.7.3a,b
<b>3(c)</b>	<b>B</b>		1	AO3 2.7.2i
<b>Total</b>			<b>6</b>	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
<b>4(a)</b>	contract / shorten	ignore relax do <b>not</b> allow expand	1	AO1 2.1, 2.2.1b,c, 2.1.1e
	to churn / move / mix food	accept peristalsis / mechanical digestion ignore movement unqualified	1	
<b>4(b)</b>	400	acceptable range 390-410  allow 1 mark for answer in range of 39 to 41 allow 1 mark for answer in range of 3900 to 4100	2	AO2 2.2.1b,c
<b>4(c)</b>	to transfer energy for use	allow to release / give / supply / provide energy do <b>not</b> allow to 'make' / 'produce' / 'create' energy allow to make ATP ignore to store energy	1	AO1 2.1.1a, 2.6.1d
	by (aerobic) respiration <b>or</b> from glucose	do <b>not</b> allow anaerobic  energy released <b>for</b> respiration = max 1 mark	1	
<b>4(d)(i)</b>	to make protein / enzyme	ignore 'antibody' or other named protein	1	AO1 2.1.1a
<b>4(d)(ii)</b>	too small / very small	allow light microscope does not have sufficient magnification / resolution allow ribosomes are smaller than mitochondria ignore not sensitive enough ignore ribosomes are transparent	1	AO2 2.1.1a
<b>Total</b>			<b>8</b>	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
5(a)	5624	<p><b>allow 2 marks</b> for:</p> <ul style="list-style-type: none"> <li>correct HR = 148 <b>and</b> correct SV = 38 plus wrong answer / no answer</li> </ul> <p><b>or</b></p> <ul style="list-style-type: none"> <li>only one value correct <b>and</b> ecf for answer</li> </ul> <p><b>allow 1 mark</b> for:</p> <ul style="list-style-type: none"> <li>incorrect values <b>and</b> ecf for answer</li> </ul> <p><b>or</b></p> <ul style="list-style-type: none"> <li>only one value correct</li> </ul>	3	AO2 2.6, 2.6.1g
5(b)(i)	<b>Person 2</b> has low(er) stroke volume / SV / described	<p>eg <b>Person 2</b> pumps out smaller volume each beat</p> <p>do <b>not</b> allow <b>Person 2</b> has lower heart rate</p>	1	AO3 2.6, 2.6.1g
5(b)(ii)	<p><b>Person 1</b> sends <u>more blood</u> (to muscles / body / lungs)</p> <p>(which) supplies (more) oxygen</p> <p>(and) supplies (more) glucose</p> <p>(faster rate of) respiration <b>or</b> transfers (more) energy for use</p> <p>removes (more) CO<sub>2</sub> / lactic acid / heat</p> <p><b>or</b> less lactic acid made</p> <p><b>or</b> (more) muscle contraction / less muscle fatigue</p>	<p>ignore aerobic / anaerobic</p> <p>allow (more) energy release</p> <p>allow aerobic respiration transfers / releases more energy (than anaerobic)</p> <p>do <b>not</b> allow makes (more) energy</p> <p>allow less oxygen debt</p> <p>if no other mark awarded, allow person 1 is fitter (than person 2) for max 1 mark</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	AO1 / AO2 2.6.1b,e,f, g,h, 2.6.2c,d
<b>Total</b>			<b>9</b>	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)(i)	any <b>two</b> from: <ul style="list-style-type: none"> <li>(dead) animal buried in sediment</li> <li>hard parts / bones do not decay <b>or</b> soft parts do decay</li> <li>mineralisation (of hard parts / bones)</li> </ul>	allow imprint in mud  allow (one of) the conditions for decay is missing – accept example, eg oxygen / water / correct temperature / bacteria  allow replacement by other materials	2	AO1 / AO2 2.8.1a,b
6(a)(ii)	any <b>two</b> from: <ul style="list-style-type: none"> <li>conditions not right for fossilisation</li> <li>geological activity has destroyed fossils / has destroyed evidence</li> <li>fossils not yet found</li> </ul>	ignore references to soft-bodied  allow a named / described example – eg vulcanism / earth movements / erosion  allow description of why not yet found	2	AO3 2.8, 2.8.1a,c,d
6(b)	any <b>four</b> from: <ul style="list-style-type: none"> <li>separation / isolation (of different populations)</li> <li>different environmental conditions (between locations)</li> <li>mutation(s) occur <b>or</b> genetic variation (within each population)</li> <li>better adapted survive <b>or</b> natural selection occurs</li> <li>favourable alleles passed on (in each population)</li> <li>eventually different populations unable to breed <u>successfully</u> with each other</li> </ul>	allow ‘survival of the fittest’ ignore animals adapt to their environment ignore reference to stronger survive  allow genes for alleles  allow unable to produce fertile offspring	4	AO1 2.8.1e,f
<b>Total</b>			<b>8</b>	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
7(a)	<p>light is trapped / absorbed / used</p> <p>by chlorophyll / chloroplasts</p>	<p>extra answers cancel mark ignore solar / sunshine</p> <p>if no other marks awarded, allow 1 mark for photosynthesis / equation for photosynthesis</p>	<p>1</p> <p>1</p>	<p>AO1</p> <p>2.3, 2.3.1a,b</p>
7(b)	<p>(to make) starch (for storage)</p> <p>(to make) fat / oil (for storage)</p> <p>(to make) amino acids / proteins / enzymes</p> <p>(to make) cellulose / cell walls</p>	<p>ignore 'for growth' unqualified ignore respiration</p> <p>allow for active transport allow any other correct, named organic substances (eg DNA / ATP / chlorophyll / hormone)</p> <p>if no named examples, allow 'to make <b>named</b> cell structures' for max. 1 mark</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>AO1</p> <p>2.3.1e,f, 2.6.1f</p>
<b>Total</b>		<b>6</b>		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
8(a)(i)	3.15 : 1	accept 3.147:1 <b>or</b> 3.1 : 1 <b>or</b> 3 : 1 do <b>not</b> accept 3.14 : 1 Ignore 705:224	1	AO2 2.7
8(a)(ii)	any <b>two</b> from: <ul style="list-style-type: none"> <li>fertilisation is random <b>or</b> ref. to chance combinations (of alleles / genes / chromosomes)</li> <li>more likely to get theoretical ratios <b>or</b> see (correct) pattern <b>or</b> get valid results if large number</li> <li>anomalies have limited effect / anomalies can be identified</li> </ul>	allow ref. to more representative / reliable do <b>not</b> allow more accurate <b>or</b> precise ignore fair / repeatable  accept example of an anomaly	2	AO3 2.7, 2.7.2a
8(b)(i)	in sequence:  Homozygous Homozygous Heterozygous	All 3 correct = 2 marks 2 correct = 1 mark 1 or 0 correct = 0 marks	2	AO3 2.7
8(b)(ii)	genetic diagram including:  Parental genotypes: <b>Nn</b> and <b>Nn</b> <b>or</b> Gametes: <b>N</b> and <b>n</b> + <b>N</b> and <b>n</b>  <u>derivation</u> of offspring genotypes: <b>NN Nn Nn nn</b>  identification: <b>NN</b> and <b>Nn</b> as purple <b>and</b> <b>nn</b> as white	allow other characters / symbols only if clearly defined  allow genotypes correctly derived from candidate's P gametes  allow correct identification of candidate's offspring genotypes but only if some F <sub>2</sub> are purple and some are white	1  1  1	AO2 2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
<b>8(c)</b>	any <b>two</b> from: <ul style="list-style-type: none"> <li>• did not know about chromosomes / genes / DNA</li> <li>• <b>or</b> did not know chromosomes occurred in pairs</li> <li>• had pre-conceived theories</li>   <li>• Mendel's (mathematical) approach was novel concept</li>   <li>• Mendel was not part of academic establishment</li>   <li>• work published in obscure journal / work lost for many years</li> <li>• peas gave unusual results of other species</li> <li>• Mendel's results were not corroborated until later / 1900</li> </ul>	ignore genetics  eg blending of inherited characters ignore religious ideas unless qualified allow his work was not understood or no other scientist had similar ideas  allow he was not considered to be a scientist / not well known / he was only a monk  allow he only worked on pea plants	2	AO1 2.7
<b>Total</b>		<b>10</b>		