

1075/01

BIOLOGY/HUMAN BIOLOGY – BY5

A.M. THURSDAY, 23 June 2016

1 hour 45 minutes plus your additional time allowance

Surname	
Other Names	
Centre Number	
Candidate Number 2	

For E	xaminer's use	only
Question	Maximum Mark	Mark Awarded
1.	10	
2.	10	
3.	16	
4.	21	
5.	13	
6.	10	
Total	80	

ADDITIONAL MATERIALS

In addition to this examination paper you will need a ruler and a calculator.

INSTRUCTIONS TO CANDIDATES

Use black ink, black ball-point pen or your usual method.

Write your name, centre number and candidate number in the spaces on the front cover.

Answer ALL questions.

Write your answers in the spaces provided in this booklet.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

You are reminded of the necessity for good English and orderly presentation in your answers.

The quality of written communication will affect the awarding of marks.

Answer ALL questions.

- 1(a) Bananas are grown on large plantations in tropical regions such as South America, using monoculture production methods.
 - (i) Define the terms:
 - I. biodiversity; [1]

II. monoculture. [1]

(ii) Describe and explain the effects of banana production on biodiversity in South America. [2]

1(b) Multinational banana companies own plantations, sea transport, ripening facilities and distribution networks in countries where the bananas are consumed. The data below was published by one such company.

	Banana Carbon F Retail Distribut	ootprint (Farm-to- tion Centre) /kg
	USA	Europe
Per box (18kg)	18	24

(i) Define the term 'CARBON FOOTPRINT'. [1]

(ii) Explain the difference in the values for USA and the values for Europe. [2]


- 1(c) In an attempt to reduce their carbon footprint for their USA operation, the company switched to transporting the bananas part of the way by rail, instead of taking them the whole way by truck.
 - (i) Explain why this would reduce the carbon footprint. [2]

(ii) How would this change benefit the environment? [1]

10

- 2. The photomicrographs opposite show some stages of cell division in a flower of a lily, LILIUM CANDIDUM.
- (a) (i) Identify the type of cell division shown. [1]
 - (ii) State a part of the flower that could have been used to produce the photomicrographs.
 [1]
 - (iii) Write the letters in the order the stages would occur (the first one has been done for you). [2]
 - 1 E 2 ____ 3 ___ 4 ___ 5 ___ 6 ____
 - (iv) Use photomicrograph E to find the haploid number of LILIUM CANDIDUM. [1]

Haploid number



- 2(b) (i) Name the stages shown in the following photomicrographs. [1]
 - A ______ C _____
 - Use your knowledge of cell division to describe TWO differences between the arrangement of chromosomes in stages A and C. [2]



2(c) Name TWO processes occurring during this type of cell division which help to ensure genetic variation in the offspring. [2]



3. In white clover, TRIFOLIUM REPENS, one gene determines the production of a cyanide forming substrate. Allele A produces the cyanide forming substrate, whilst allele A produces no substrate.

A second gene, located on a different chromosome, determines the production of an enzyme which catalyses the release of cyanide from the substrate. Allele E produces the enzyme, whilst allele E produces no enzyme.

- Clover that has both A and E alleles gives off cyanide as soon as its leaves are crushed.
- Clover with A but not E releases cyanide slowly when its leaves are crushed.
- Clover that does not have A cannot release cyanide.

3(a) (i) Complete the genetic diagram below to show what proportion of the three types would be produced if clover heterozygous for both genes was self-pollinated. Use the letters for the alleles given above.

[3]

Parental genotypes

_____ X _____ Gametes Χ_____

12

3(a) (ii) State the ratio of the offspring which would show: [1]

rapid cyanide release ____: slow cyanide release ____:

no cyanide release _____

3(b) In an experiment where double heterozygotes were self-pollinated the following numbers of offspring were obtained:

rapid cyanide release - 140 slow cyanide release - 49 no cyanide release - 67

(i) Using the ratio from part (a)(ii) calculate the EXPECTED number of each phenotype of the offspring, and enter the values in the table below. [1]

Phenotype	Observed number (O)	Expected number (E)	(O – E)	(O – E) ²	$\frac{(O-E)^2}{E}$
Rapid cyanide release	140				
Slow cyanide release	49				
No cyanide release	67				

3(b) (ii) Use the other columns in the table to carry out a Chi square test, testing the Null Hypothesis that there is no significant difference between the observed and expected results.

Use the last column in the table and the formula below to calculate χ^2 . [1]

$$\chi^2 = \sum \frac{(O-E)^2}{E}$$


 $\chi^2 =$

3(b) (iii) Using the 5% probability level and the correct number of degrees of freedom CIRCLE the critical value of χ^2 IN THE TABLE BELOW. [1]

Degrees				Pro	obabili	ity			
of freedom	0.9	0.8	0.7	0.5	0.2	0.1	0.05	0.02	0.01
1	0.016	0.064	0.15	0.46	1.64	2.71	3.84	5.41	6.64
2	0.21	0.45	0.71	1.39	3.22	4.60	5.99	7.82	9.21
3	0.58	1.00	1.42	2.37	4.64	6.25	7.82	9.84	11.34
4	1.06	1.65	2.20	3.36	5.99	7.78	9.49	11.67	13.28

 (iv) State whether you would accept or reject the Null Hypothesis for this cross and explain why. [1] (ii) Cyanide has a taste which discourages cattle from eating clover leaves. How would the proportion of allele E in the population of white clover in a field grazed by cattle compare to the proportion of allele E in the population of white clover in a hedgerow inaccessible to cattle? [1] 3(c) (iii) Explain how continued grazing would change the frequency of allele E in the population. [4]


Describe how the cattle grazing might lead 3(c) (iv) to the formation of a new species of clover. [2] 4. In 2014, parts of West Africa were hit by an epidemic of Ebola Fever. Most people who caught the disease died. The diagram below shows the virus which causes the disease.



4(a) (i) This virus reproduces in the cytoplasm of the host cell. Using information from the diagram opposite, suggest why this virus does not have to enter the nucleus of cells in order to produce proteins. [2]

> (ii) Suggest the organelle in the infected cell which would complete the production of glycoprotein. [1]

4(a) (iii) Describe the process by which the genetic information of the virus would be translated into amino acid sequences in its proteins. [4]



4(b) When Ebola viruses enter human cells one of their genes controls the production of a glycoprotein that is immediately released.

The gene which codes for this glycoprotein is changed after infecting cells. An extra adenine is inserted at position 1016.

The changed gene then controls the production of the second glycoprotein which forms part of the viral capsule.

Diagrams of the changed and original base sequences for the glycoproteins are shown below.

CHANGED BASE SEQUENCE

Nucleotide position numberNucleotide position numberNucleotideNuc

ORIGINAL BASE SEQUENCE


Nucleotide position number	1010	1015	1020		1025	
Original nucleotide sequence	CUU	GUU	 			
Original amino acid sequence	Leu	Val	 	•••••		

4(b) **(i)** Use the table below to complete the **CHANGED AMINO ACID SEQUENCE IN THE DIAGRAM** opposite. [1]

		U	С	Α	G		
		Phe	Ser	Tyr	Cys	U	
		Phe	Ser	Tyr	Cys	С	
	U	Leu	Ser	STOP	STOP	Α	
		Leu	Ser	STOP	Trp	G	
		Leu	Pro	His	Arg	U	
		Leu	Pro	His	Arg	С	
	С	Leu	Pro	Gln	Arg	Α	
First		Leu	Pro	Gln	Arg	G	Th
Fil		lle	Thr	Asn	Ser	U	Third
	Α	lle	Thr	Asn	Ser	С	
		lle	Thr	Lys	Arg	Α	
		Met	Thr	Lys	Arg	G	
		Val	Ala	Asp	Gly	U	
	G	Val	Ala	Asp	Gly	С	
		Val	Ala	Glu	Gly	Α	
		Val	Ala	Glu	Gly	G	

Second

- **(ii) Complete the ORIGINAL NUCLEOTIDE SEQUENCE** in the diagram. [1]
- (iii) Use the table again to complete the **ORIGINAL AMINO ACID SEQUENCE.** [1]



4(c) On contact with the plasma membrane of human epithelial cells the capsule glycoprotein molecules form transmembrane proteins, which assist the virus in gaining entry to the cells.

Draw a labelled diagram of a typical cell membrane including a transmembrane protein.

[2]

- 4(d) The Ebola virus capsule glycoprotein has been purified and injected into mice which then produce antibodies against the protein. The genes for these antibodies have been cut from mouse DNA and inserted into Tobacco Mosaic Virus (TMV) genes. By allowing these viruses to infect tobacco plants, genetically modified tobacco plants can be grown which produce antibodies against Ebola.
 - Name the enzyme that would be used to cut the antibody producing gene from the mouse DNA. [1]
 - (ii) Name the vector used to transfer the mouse gene. [1]
 - (iii) Name the enzyme that would be used to insert the mouse gene into the vector. [1]


4(d) (iv) Bacteria could be used instead of tobacco plants to produce the antibodies. What vector would be used in this case? [1]

(v) Give ONE advantage of using bacteria instead of tobacco plants. [1]


- 4(e) The technology described in part (d) was used during the Ebola outbreak of 2014 to develop a drug called ZMapp. The drug was only used to treat two Americans who had been working as medics in Africa. Its use was controversial because the drug had not been tested on humans. At the time there were only a few doses of ZMapp available.
 - Suggest a reason why the decision to use the drug was taken, even though it had not been tested. [1]

4(e) (ii) Apart from the fact that drug had not been fully tested, give ONE reason why using the drug in the way described could be considered unethical. [1]

21



(ii) Using appropriate letters from the diagram write an equation to represent energy transfer through the herbivores. [1]



- 5(b) The numbers in the diagram opposite page 30 represent energy transfer over a given area of ecosystem in a given time.
 - (i) Suggest suitable units for the values. [1]
 - (ii) Calculate the following:
 - I. the photosynthetic efficiency of the producers. [2]

photosynthetic efficiency =

II. R_h [2]

R_h =

- 5(c) The model assumes that ALL of the biomass produced by one group is transferred to the next group in the food chain. This might not be true in natural ecosystems.
 - (i) Suggest why this assumption is NOT likely to be true in a woodland ecosystem. [2]

 (ii) State the assumption the model makes about the dead organic material that the decomposers receive. [1] 5(c) (iii) Conditions in peat bogs are acidic. Describe and explain how this will affect the rate of decomposition. [2]

5(c) (iv) Explain whether the assumption the model makes about the dead organic material that the decomposers receive is likely to be true in peat bogs. [1]

6. Answer ONE of the following questions.

Any diagrams included in your answer must be fully annotated.

- Either, (a) Describe the structure of a broad bean seed, this should include an annotated diagram. Describe how a maize grain differs from a broad bean seed. Name the factors essential for the germination of seeds, giving a reason why each factor is essential. [10]
- Or. (b) Describe the formation of spermatozoa in mammals. Explain how the process of oogenesis differs. [10]

36

37

END OF PAPER



